

A Work Project, presented as part of the requirements for the Award of a Master's degree in
Impact Entrepreneurship & Innovation
from the Nova School of Business and Economics

AQUATA – AN INTEGRATED MULTI-TROPHIC AQUACULTURE BUSINESS SOLUTION TO
FIGHT CLIMATE CHANGE AND WORLD HUNGER: COMMERCIAL STRATEGY



LILI MARLEN VIDAL | 50673

A project carried out under the supervision of
Nuno Arantes e Oliveira

16-12-2022

Abstract

This work project presents a business plan developed for a disruptive and highly innovative aquaculture business within the field of Integrated Multi-Trophic Aquaculture.

The qualitative investigation gave rise to a novel solution focused on a sustainable farming approach for sea cucumbers and scallops. A thorough business plan was developed, including an operational, marketing, and sales, research and development, and financial plan, whereas this individual submission focuses on the commercial strategy.

The thesis concluded that the presented IMTA approach is the most natural solution to fight world hunger and climate change by providing a sustainable food source for the growing world population.

Keywords: (Science-Based) Entrepreneurship, Aquaculture, Integrated Multi-Trophic Aquaculture, Sea Cucumbers, Scallops, Commercial Strategy

Acknowledgement: We would like to express our gratitude to our advisor Nuno Arantes e Oliveira, who supported us in this work project. Furthermore, we would like to thank Oceano Fresco for their support, sharing of insights and expertise.

This work used infrastructure and resources funded by Fundação para a Ciência e a Tecnologia (UID/ECO/00124/2013, UID/ECO/00124/2019 and Social Sciences DataLab, Project 22209), POR Lisboa (LISBOA-01-0145-FEDER-007722 and Social Sciences DataLab, Project 22209) and POR Norte (Social Sciences DataLab, Project 22209).

Table of Contents

1	<i>Executive Summary</i>	1
2	<i>Why We Need to Find a Solution for the Global World Hunger Crisis</i>	3
2.1	THE ENVIRONMENTAL IMPACT OF CURRENT FOOD PRODUCTION SYSTEMS.....	3
2.2	FAILURE OF CURRENT FOOD PRODUCTION SYSTEMS	5
2.3	LOW-TROPHIC FARMED AQUATIC SPECIES AS A SOLUTION	6
3	<i>Our Idea</i>	8
3.1	THE ORIGIN OF OUR IDEA	8
3.2	AQUATA – A SUSTAINABLE AQUAFARM	9
4	<i>Aquaculture as a Business Opportunity</i>	9
4.1	OPPORTUNITY OF LOW TROPHIC SPECIES	10
4.1.1	<i>Opportunity of Farming Scallops</i>	10
4.1.2	<i>Opportunity of Farming Sea Cucumbers</i>	12
5	<i>The Aquaculture Market</i>	14
5.1	LOW-TROPHIC SPECIES AS ECONOMIC OPPORTUNITY	14
5.2	CHOSEN MARKET FOR SCALLOPS	16
5.3	CHOSEN MARKET FOR SEA CUCUMBERS	17
5.4	ECONOMICAL BACKGROUND ON AQUACULTURE OF AQUATIC ANIMALS.....	20
6	<i>Feasibility of Our Solution</i>	21
6.1	THE BENEFICIAL ENVIRONMENT IN PORTUGAL	21
6.2	AQUACULTURE WITH SCALLOPS.....	23
6.3	AQUACULTURE WITH SEA CUCUMBERS.....	26
6.4	AQUAFARMING ENTRY BARRIERS.....	30
6.4.1	<i>Challenges of Starting a Business in Aquaculture</i>	31
6.4.2	<i>Strategic Partnership with OF as a Market Entry Facilitator</i>	32
7	<i>Our Solution</i>	33

7.1	PILLARS OF INNOVATION	33
7.1.1	<i>Integrated Multitrophic Aquaculture</i>	33
7.1.2	<i>Genetic Breeding</i>	34
7.1.3	<i>Our Innovative Technological Approach</i>	35
8	<i>Our Strategy</i>	36
8.1	OUR VALUE PROPOSITION & COMPETITIVE EDGE	36
8.1.1	<i>Branding</i>	37
8.1.2	<i>Diversified Portfolio</i>	38
8.1.3	<i>Optimized Efficiency & Reliability</i>	39
8.1.4	<i>Certification & Traceability</i>	39
8.2	OUR COMMERCIAL STRATEGY	40
8.2.1	<i>Marketing and Pricing Strategy</i>	41
8.2.1.1	Target Customers	41
8.2.1.2	Product & Pricing.....	42
8.2.1.3	Place & Promotion.....	43
8.2.2	<i>Sales Strategy</i>	47
9	<i>Regulations</i>	51
9.1	REGULATORY BARRIERS	52
10	<i>Roadmap</i>	53
10.1	OUR COMPANY THROUGH TIME.....	53
10.2	EXIT STRATEGY	54
11	<i>Conclusion</i>	56
12	<i>References</i>	57
13	<i>Appendix</i>	79

Table of Abbreviations

€	Euro
\$	US Dollar
APAC	Asia-Pacific Markets
ASC	The Aquaculture Stewardship Council
B2B	Business-to-Business
B2C	Business-to-Customer
BAP	Best Aquaculture Practices
CAGR	Compound Annual Growth Rate
CAPEX	Capital Expenditure
CPC	Cost Per Click
CTA	Call To Action
CTR	Click-Through Rates
EBITDA	Earnings Before Interest, Taxes, Depreciation, and Amortization
EBV	Estimated Breeding Value
EU	European Union
EV	Enterprise Value
FAO	Food and Agriculture Organization of the United Nations
FCR	Feed Conversion Rate
GHG	Greenhouse Gas
IMTA	Integrated Multi-Trophic Aquaculture
IP	Intellectual Property

KPI	Key Performance Indicator
NDA	Non-Disclosure Agreement
NGO	Non-Governmental Organization
OF	Oceano Fresco
POM	Particulate Organic Matter
R&D	Research and Development
SDGs	Sustainable Development Goals
SEM	Search Engine Marketing
SEO	Search Engine Optimization
SKUD	Skin Ulceration Diseases
TAA	Aquaculture Activity Title
TNC	The Nature Conservancy
UN	United Nations

1 Executive Summary

AQUATA is an aquafarming business focused on farming scallops and sea cucumbers using an Integrated Multi-Trophic Aquaculture (IMTA) approach. Our idea is inspired by Oceano Fresco (OF), a growing aquaculture startup dedicated to breeding clams in a hatchery in Nazaré and growing them out at their open sea farm in Lagos, Portugal. As the world population continues to increase, current food production systems are unable to meet the global demand while being both environmentally friendly and nutritious. Like OF, our mission is to address the growing global demand for protein, presenting a valuable business opportunity. Our IMTA approach allows us to farm multiple species with minimal additional resource input. As sea cucumbers feed on the excrements of scallops, the combination of the two species reduces waste and improves efficiency.

By focusing on the high-demand markets of Asia and Europe, we aim to capitalize on this business opportunity while fighting climate change. Our goal is to provide a high-quality, sustainable source of protein to these markets, meeting the rising demand and providing economic benefits for our business. Examining the market potential, the opportunity is immersive. On a global level, the bivalve market is expected to grow by \$15.36 billion until 2026, while the sea cucumber market will reach a total value of \$1436 million in 2028. Considering global trade, consumption, price, and competitors, we decided to target the Asian market with our freeze-dried sea cucumber ('bêche-de-mer') and the Portuguese, Spanish and French markets with our fresh scallops. In the mid-and long-term, we plan to diversify horizontally with dietary supplements and a franchise model, scaling our sustainable impact and revenue. According to our financial plan, AQUATA will generate €102 million in revenues in the first 10 years and will reach unicorn status in 2033, making it an attractive investment opportunity in the blue economy market.

Talking to many different experts and visiting OF's hatchery in Nazaré, we decided to integrate AQUATA vertically through the production of our own animal seeds. The scallops and sea cucumbers will grow out in an open sea farm, by using lantern nets attached to a long-line system. Moreover, our innovative business model will strongly rely on intelligent technology to ensure efficiency, reliability, and traceability in every step of the farming process. Next to a strong brand image, these aspects play a significant role in our value proposition, delivering great value to our customers and investors and differentiating us from our competitors. We will use a variety of online and offline marketing methods and channels to commercially advertise our products, focusing primarily on the Business-to-Business (B2B) market but also aiming to reach the end user. By communicating our value proposition and mission statement, and establishing strong partnerships and trust, we will be able to promote our brand's benefits and acquire customers. Moreover, we will enhance our value creation through investing in Research & Development (R&D). Our multidisciplinary team will start a global study, travel to different aquafarms and markets, and employ experts helping to create our scientific breeding program. We will further engage in a broad network of aquaculture-related companies to form partnerships and benefit from each other's findings. Non-disclosure agreements (NDAs) will hereby protect AQUATA's Intellectual Property (IP). We considered the UN's Sustainable Development Goals (SDGs) to assess this impact, setting the vision and path to contribute even past their applicability. In 2027 we expect to be profitable and, in 2028, break even, covering our high capital expenditure (CAPEX) of €6.8 million, typical for the aquaculture sector. We aim to fund AQUATA through grants, equity, and debt financing. Finally, a possible exit strategy for us would be an acquisition through OF or one of our early external investors.

2 Why We Need to Find a Solution for the Global World Hunger Crisis

In 1950 there were 2.5 billion people on this planet. We recently crossed the 8.0 billion thresholds in 2022. By the end of the century, it is expected that the world population will have increased to 10.4 billion (Roser et al. 2013). As the population grows, so does the demand for food, water, and natural resources. Moreover, if the trend continues, the demand for calories will have grown by 70% by 2050. These numbers are critical when considering that currently one in three people lack regular access to adequate food (United Nations 2020), 828 million people are going to bed hungry every night and 345 million people are facing acute food insecurities (World Food Programme 2022).

To cope with the growing world population, food production systems that are intended to serve the purpose of eradicating world hunger must be sustainable and deliver sufficient nutritious value despite large production volumes. Meeting these criteria simultaneously is seriously challenging for current food production systems. We have taken this as an inspiration to come up with a solution that addresses these contradictory goals as a step to fight world hunger. However, before we proceed to that, we will outline why current systems are failing to be both sustainable at a large-scale production volume and nutritious.

2.1 The Environmental Impact of Current Food Production Systems

Our destructive consumption habits, urbanization and economic development of emerging markets put pressure on the environment, the climate and on biodiversity (Le Berthe 2018). Considering all the negative consequences feeding into the global food challenge, researchers have found that we would need 1.7 planets to support humanity's demand (Geneva Environment Network 2022).

Up to 30% of the world's greenhouse gas (GHG) emissions come from current food production systems, which are severely disrupting the ecosystem; Increased temperatures contribute to

rising sea levels, which in turn create more heat waves, droughts, violent storms, and other natural disasters (Willett et al. 2019). Proteins are generally the most carbon-intensive nutrition that our bodies need, making them the worst for the environment and a major cause of climate change. This is because animals like cattle, lambs, and goats rely on specific bacteria in their guts to break down their food, which releases a large amount of methane. This potent GHG contributes significantly to global warming (Hilborn 2019). On top of that, the impact of growing, harvesting, processing and shipping the animal's food also contributes to emissions, while forests are destroyed to get converted into grazing land. Putting these impacts into perspective, around 40% of GHG are produced by land use changes, including agriculture and deforestation (Oreskes 2022).

Another problem of livestock is the concept of the feed conversion ratio (FCR), which measures the conversion of feed mass (input) to the animal's mass (output) (He et al. 2019). A high FCR implies that the conversion is inefficient, as the animal requires a large amount of feed to gain little body mass. Currently, only 12% of the calories from crops used as animal feed end up being consumed by people in the form of animal products (E. S. Cassidy et al. 2013). Hence, existing animal consumption is highly inefficient. According to estimates, additional four billion people could be fed by converting crop calories intended for non-human to direct human consumption (E. S. Cassidy et al. 2013). Such a shift would require the world's population to eat more low-trophic food sources from the bottom of the food chain (Appendix 2).

Not only food production on land, but also in water, is straining our environment. Heavy overfishing, defined as more fish getting caught at a faster speed than stocks take to replenish, is further causing ecosystems to collapse. As of 2021, 90% of the world's fish stocks have been fully exploited or overfished as a result of the more than doubling global consumption from 9kg per person in 1961 to 20.5kg in 2017 (Hughes 2021). According to the Food and Agriculture Organization of the United Nations (FAO), this figure is expected to rise to 21.5kg by 2030 due

to the growing population and increasing income (Hughes 2021). Closely related to overfishing is bycatch, which is the unintentional capture of other marine species (Leigh 2022). Currently, one in ten animals fished is bycatch threatening the environment through needless loss of billions of fish, sea turtles and dolphins among others (Eit Food 2021). However, the harm caused by overfishing extends beyond the marine ecosystem, as fish is an indispensable source of protein, micronutrients, and income for billions of people (WWF 2022). Even countries like Portugal, Spain or Greece, depend highly on seafood imports, as they cannot meet their high demand due to insufficient national supply. However, already now one-third of the world's evaluated fisheries are biologically overfished (OOOF 2022). Additionally, 98% of fisheries and aquaculture workers come from developing countries, so economic income and food from fishing is an important factor. Consequently, as overfishing increases and fish stocks get depleted the economic income and the already not sufficient amount of food is diminishing for many people relying on this source with their lives.

2.2 Failure of Current Food Production Systems

In the past, there have been several attempts to scale up food production systems without causing too much harm to the environment. For example, during the Green Revolution from mid- to late-20th century, agriculture of cereal crop yields tripled, increasing the amount of available calories, however exhibiting only low micronutrient density (Pingali 2012).

Studies show that micronutrient malnutrition is a very prominent problem in today's society, leading to various diseases such as diabetes or coronary heart disease (Willett et al. 2019). Researchers agree that a healthy diet should be made up of vegetables, whole grains, legumes, fruits and nuts, seafood, eggs and unsaturated fats (Willett et al. 2019). This is also consistent with a study that discovered that omnivores had a 12% higher mortality risk than people who followed a vegan, vegetarian, or semi-vegetarian diet. Pescatarians had overall the lowest

mortality risk (Orlich et al. 2013). This is the case because, the quality of protein from marine animal sources is often higher than that of plant-based sources, measured by the bioavailability, the composition of essential amino acids, vitamins and iron (Willett et al. 2019).

2.3 Low-Trophic Farmed Aquatic Species as a Solution

Overall, we have found that current food production systems are not able to eradicate world hunger, as they are either not sustainable at a large scale, or are not suitable for a healthy, nutrient-dense diet. On the contrary, as the world attempts to find ways of feeding the growing population low-trophic food sources are a very energy-efficient food production option with a low environmental impact. Plants are perhaps the most obvious example of low-trophic food, but given the mentioned nutrients in seafood, many scientists think we should include more shellfish in our diet (Howell 2022). The benefits of including shellfish, as low-trophic food are huge, because they contain more protein than many plant crops and meat and have high levels of essential omega-3 fatty acids, micronutrients like vitamin B12, zinc, magnesium, and iron. Therefore, shellfish has the potential to meet the nutritional requirements of billions of people in the most vulnerable parts of the world (Lovell 2022). According to the zoologist David Willer, bivalve aquaculture has an even smaller environmental impact than many arable crops (Willer 2020). Moreover, other low-trophic animals referring to echinoderms, like sea cucumbers, sea urchins and starfish are a more sustainable food source, than meat or fish. Apart from the fact, that they are not producing any greenhouse gas emissions, they are also of utmost ecological importance for the environment they live in (Bondaroff 2019). Due to their nutrient recycling and sediment redistribution, they are essential to sustaining biodiverse and productive ecosystems and are consequently essential in battling climate change (MSC 2022). However, these benefits have increasingly been limited in some areas of the world due to the increased overfishing and illegal harvesting that sea cucumbers are experiencing. This could be counteracted by growing sea cucumbers in aquafarms to meet the rising demand and protect

marine wildlife. Although aquafarming is the fastest growing food-producing sector, accounting for 17% of global animal protein production in 2016, it is still heavily discussed and creates a conflict between two important SDGs, namely SDG 2 fighting ‘Zero Hunger’ and SDG 14 of ‘Life below water’ (Correia et al. 2020; Hou et al. 2019). Some practices within aquafarming, like the application of antibiotics to boost development and impede diseases have negative side effects in regards to food safety, quality and environmental sustainability (Hughes 2021). However, the in 2010 introduced IMTA approach is a technology that could boost the production and diminish negative effects on the environment. Within IMTA farmers combine aquatic animals of different trophic levels, the later ones feeding on organic and inorganic materials as well as by-products from other species in the same farm (University of Maine 2022). Thus, it might be a way to improve the aquaculture industry's sustainability, even contributing to the objectives of the EU's Blue Growth policy (Correia et al. 2020).

Moreover, it is a great business opportunity, as the low-trophic species do not require extra nutritional input, and thus add additional value without further expenses. The high demand and the consequently high revenue potential are fueled by the increasing need for sustainable and healthy food sources. Hence, AQUATA will implement IMTA in a fully sustainable and scalable business model to seize this great business opportunity. Like this we aim to minimize the negative impact on the planet and respective animals, and support developing regions around the globe fulfill the growing demand and satisfy the immanent need to feed the growing world population, while helping to protect the environment and tap into the new opportunity of low-trophic aquaculture. Overall, this will help to minimize human's intake of unhealthy environmental contaminants like heavy metals or mercury, as through farming we have more control over important variables, making it possible to regulate the toxin levels. Additionally, technological development has improved in recent years assisting in developing sustainable farms to produce resource efficient protein, to fill the gap in supply to meet the rising demand

and feed the world's growing population, while protecting wild populations from overfishing and illegal harvesting crucial for a healthy marine environment (M. Cassidy 2019).

Science Based Entrepreneurship Field Lab 22/23 Group Work

3 Our Idea

Understanding the significant negative impact of the described problem, the failure to assess it, and the accompanying implications for our future, we identified a great need to create a solution to combat the world's hunger and climate problem.

3.1 The Origin of Our Idea

Our professor Nuno introduced us to the aquafarming startup OF. Originally, OF wanted to protect native clams through genetic breeding programs, however later developed into an innovative and disruptive aquafarm, producing high quality clams. Through their scientific approach and selective breeding program, they developed a strong competitive advantage over other aquafarms and are soon entering the bivalve market with their premium clams. OF is not only innovative through its research programs but also because they are the first company in Portugal to grow clams in an open sea farm. This brings additional advantages due to the natural habitat and the yield of naturally occurring food sources.

After talking to different employees of OF, such as Andreia Cruz (R&D Senior Manager) and Frederico Reis (Chief Commercial Officer), we realized the huge potential of their aquafarming approach and the market in general. This opinion is also backed by the large amount of funding that OF received, implying that several investors agree with the potential.

OF's mission is to monetize the potential of bivalves as a superior alternative to other protein sources (Oceano Fresco 2022a). Together, the worldwide hunger problem and OF's business model inspired us, hence the reason for how we structured our solution and business model. During the process of launching our business 'AQUATA' we have been in steady contact with OF and are working on a strategic partnership in the future. Due to our different product

portfolios and partly different target markets, we are not competitors, but strategic partners tackling the worldwide food and protein insufficiency.

3.2 AQUATA – a Sustainable Aquafarm

AQUATA is a disruptive and highly innovative aquafarm that focuses on farming and selling fresh scallops, freeze-dried sea cucumbers and aquamarine food supplements. AQUATA only focuses on the scallop species *Pecten maximus* and the sea cucumber species *H. poli*, *H. tubulosa*, *H. mammata* and *H. arguinensis*. Through our expertise in business and intelligent investments into the brand building of AQUATA, we will aim to become the leading impact driven Aquafarm from Europe. We will first target the B2B market with our scallops and sea cucumbers and build profitable business relationships. Later we will enter the Business-to-Business (B2C) market with our food supplements and use our reoccurring revenues from the B2B sector to quickly take over a significant market share. Through further scaling AQUATA we will combine profitability and impact and fulfill our corporate vision to tackle the global food crisis, climate change and rising protein sufficiency. AQUATA will have a significant impact in shaping the future of farming towards more sustainable and healthy food production.

Science Based Entrepreneurship Field Lab 22/23 Group Work

4 Aquaculture as a Business Opportunity

As mentioned, the world's population continues to grow and the need for sustainable and scalable food supply is becoming ever more urgent. However, many common food production systems damage the environment and cannot be scaled sustainable to satisfy growing demands. Aquaculture on the contrary, offers new sustainable farming methods that are environmentally and economically profitable and achievable at large scale to meet the growing demand.

In general, the aquaculture industry has existed for thousands of years, however, only recently has it evolved significantly, driven by an increased awareness of the negative effects of intensive fishing around the 1970s (Rocha et al. 2022). Since then, the ecological, economical and consumer benefits

of aquaculture have been widely recognized, and its “crucial role in global food security and nutrition, reducing the supply-demand gap for aquatic food” is undeniable (FAO 2022b, 111).

4.1 Opportunity of Low Trophic Species

In general, “Trophic levels are a hierarchical way of classifying organisms according to their feeding relationships within an ecosystem” (Trites 2001, 1) Low trophic marine species include species from the lowest levels of the food chain, mainly bivalves and algae, but also sea cucumbers (Krause et al. 2022). Unlike sea cucumbers and algae, marine bivalves represent a group of several species, including oysters, mussels and scallops (Helm and Bourne 2004).

The introduction of low trophic species in marine aquaculture¹ offers alternatives to common animal production and several (business) opportunities. Aquaculture of low trophic species requires less resources and costs for breeding and growing compared to common farmed marine species, such as tuna or salmon (Fredriksson 2021). Therefore, it is one of the most efficient production methods to create foods rich in to produce high-quality protein foods with essential nutrients. Aquaculture of bivalves and sea cucumbers, for example, offers several environmental benefits since bivalves have the potential to clean their habitat by filtering and recycling the water of excess nutrients (Gallardi 2014). They increase biodiversity and improve environmental conditions in the oceans and are therefore essential for the health of the marine environment. Sea cucumbers can act as nature’s recyclers as they clean their habitat by eating sand, digesting and degrading the organic materials it contains, to eventually remove toxins (Holmyard 2021; S. Purcell et al. 2016).

4.1.1 Opportunity of Farming Scallops

Scallops (*Pectinidae*) are a sub-category of marine bivalve mollusks living in shallow marine waters around the world (Kennedy 2020). They have two fan-shaped valves which enclose the inner soft part, of which the adductor muscle, the coral and the membrane are suited for

¹ “Marine aquaculture refers to the breeding, rearing, and harvesting of aquatic plants and animals” (NOAA 2021)

consumption (Chain (CONTAM) et al. 2021). Scallops are filter feeders, primarily consuming “phytoplankton, especially single celled algae, particulate organic matter (POM), bacteria and other micro-organisms” (Marshall and Wilson 2008, 10).

Scallops are valuable for the environment, since they have been shown to provide habitat and enhance community diversity (Naylor et al. 2021). As they filter the water for phytoplankton, they can improve light availability in the water, which can potentially improve the growing conditions for other species. Throughout the filtering process, they additionally remove significant amounts of nitrogen and phosphorous, thus decreasing nutrient loading (eutrophication), which further prevents algal overgrowth (O’Shea et al. 2019).

Many natural stocks of scallops have been overfished and are close to extinction (Papa et al. 2021). The species that we will use for our farming, *Pecten maximus*, has been fully exploited or overexploited by fisheries across the European Atlantic. This has been caused by poor stock management of fisheries and increased fishing efforts (Cortés et al. 2021). The limited stocks of *P. maximus* has led to low production volumes of fishermen, thereby leading to an upward price pressure as consumers continue to demand the product (Cortés et al. 2021).

AQUATA’s solution to the depleted wild stocks is the use of a vertically integrated aquafarm. This means, that no wild population or their seeds will be used as an input to our farming, but we have a circular system in which we use our own broodstock to produce additional seeds. As a result, AQUATA will neither be dependent on a limited resource, nor strain the environment further. Aquaculture of scallops is also more environmentally friendly than wild fishery, as it does not use seafloor habitat and community damaging scallop dredges (Howarth and Stewart 2014). We will be able to sustainably produce high volumes of scallops that far exceed fishermen’s volumes, and will benefit from the upward price trend. The high revenue potential of scallop aquaculture is met with low variable costs; As they are filter-feeders, they do not

require any additional feeds. For higher-trophic species, such as salmon aquaculture, this can be a significant cost factor (O'Shea et al. 2019).

Apart from environmental benefits, bivalves are a source of high-quality protein, essential omega-3 fatty acids, vitamin A, B12, and D and several minerals such as iron, zinc, iodine, and selenium calcium (Wijsman et al. 2019). Due to the great nutritional profile, taste, and perception as a gourmet product, the consumer demand has increased significantly (Cortés et al. 2021). The price increase and the unmet demand pose a great economical and business opportunity, which AQUATA will leverage alongside the farming of sea cucumbers.

4.1.2 Opportunity of Farming Sea Cucumbers

Sea cucumbers (*Holothuroidea*) are echinoderms and have the shape of soft-bodied cucumbers with no eyes and no brain (McCurry 2019). Sea cucumbers live in shallow and deep ocean areas and are categorized as ocean dwellers living on or near the ocean floor. The fertilization process takes place when the animals' sperm and eggs come into contact in the water (National Geographic 2010). Sea cucumbers are scavengers, consuming algae, aquatic invertebrates, and waste particles in the benthic zone on the ocean floor and plankton floating in the water column (National Wildlife Federation 2022). They gather small food particles with their “8 to 30 tube-feet that look like tentacles surrounding their mouths” (Jorge A. Domínguez-Godino et al. 2015, 123). After breaking these particles down, they are fed on by bacteria and recycled back into the ocean ecosystem as “inorganic nitrogen and phosphorus [...] enhancing the productivity” of the benthic zone, making sea cucumbers natural nutrient recyclers helping to clean the ocean (Khanh, Anh, and Dinh 2020, 1). Additionally, the animal's excretions also increase the alkalinity of the water around them, which is fundamental for protecting nearby oligotrophic water, such as coral reefs, from the effects of ocean acidification (Bittel 2018). This is also the reason why overexploitation of sea cucumbers has such detrimental effects on the environment, as the absence of these animals is likely to worsen the health of the sediment and impair the rate

of nutrient recycling (S. Purcell et al. 2016). Furthermore, like most animals, sea cucumbers are affected by global warming, water pollution and habitat destruction by humans (Kourous 2009). Accordingly, there is an immanent need to secure the survival of this endangered species. Apart from the animals' importance for the aquatic environment and the climate, sea cucumbers are considered a delicacy in many countries, especially in Asia. The edible component of the animal is its body wall, commonly bought in dehydrated form and consumed in stews or soups, is known as 'bêche-de-mer' or 'trepang' (Kubala 2020). Sea cucumbers are high in protein and low in carbohydrates, and further also unveil a remarkable portfolio of valuable micronutrients, such as minerals like iron, calcium, magnesium, and several B vitamins, making them an interesting product for human consumption (Bordbar, Anwar, and Saari 2011). Additionally, they are a source of high-value chemicals with positive health effects, such as collagen, amino acids and carotenoids, they exhibit therapeutic properties and have traditionally been used in medical and pharmacological activities (Bordbar, Anwar, and Saari 2011). Especially in traditional Chinese medicine, sea cucumbers have for a long time been used in creams or as oral dietary supplements to treat ailments like arthritis, cancer, or impotence (Kubala 2020). Recent medical research has also proven that appreciable amounts of chemical and bioactive compounds sea cucumbers exhibit anticancer, anti-inflammatory, antitumor and antimicrobial health benefits (Pangestuti and Arifin 2017). Hence, due to the organisms' many health benefits, it could aid in nourishing the growing world population. Additionally, the growing demand and the current heavy overfishing are disrupting the ocean's natural ecosystem and are strongly increasing prices. In 2019, the sea cucumber market generated \$1054 million in revenue and is anticipated to reach \$1436 million dollars in 2025 (Absolute Reports Pvt Ltd 2022). The compound annual growth rate (CAGR) of 5.28% shows great economic potential of farming and selling the animals (Absolute Reports Pvt Ltd 2022). Therefore, aquafarming of sea cucumbers poses a great business opportunity, while it could at the same time combat the growing overexploitation of wild animals.

Moreover, they work well in multitrophic aquaculture environments, as they are low-trophic marine invertebrates and feed on other marine animals' deposits (MSG 2022). Consequently, IMTA with sea cucumbers may generate additional commercial value without extra inputs (CCMAR 2017). On top of that, they are even furthering the reduction of environmental waste, when co-culturing with other fish or shellfish. Finally, as they are easy to handle and to harvest, especially in multitrophic aquaculture, we conclude that sea cucumbers are of great economical interest for us. Considering the numerous aspects of sea cucumbers and their benefits, we concluded that it will be highly beneficial and fundamental for AQUATA, the environment and the animals themselves to cultivate sea cucumbers. Especially, as the sea cucumbers feed on other animals' waste and do not require additional input it is a great economic opportunity for IMTA. By including the animals in our aquafarm, AQUATA leverages this business opportunity, tapping into a large and growing market. Like this we will be able to answer the excess demand of sea cucumbers while helping to secure depleting natural stocks.

Science Based Entrepreneurship Field Lab 22/23 Group Work

5 The Aquaculture Market

The market for aquaculture of low-trophic level species is economically attractive as it is constantly growing. Globally, aquaculture has been one of the industries with the fastest growth in the world's food production for the past 50 years (Appendix 3) (McKenna 2021; FAO 2020). Expanding global population, increasing consumer demand for alternative meat products, growing need for food security and scarcity of natural resources are supporting aquaculture businesses' growth.

5.1 Low-Trophic Species as Economic Opportunity

On the **global level**, over 9.4 million tons of bivalves, mainly crustaceans, were produced with a value of \$69.3 billion (FAO 2020). The global bivalves market demand has remained stable over the last few years and is expected to reach \$15.36 billion from 2021 to 2026 (Technavio

2022). Aquaculture of sea cucumbers is trying to meet the increasing seafood demand and restore depleted fisheries to sustainable levels (Conand 1988; Toral-Granda et al. 2008; Lovatelli et al. 2004; S. W. Purcell et al. 2013; S. Purcell 2014; González-Wangüemert, Valente, and Aydin 2015). By 2028, the global sea cucumber market is expected to reach \$1436 million (Absolute Reports Pvt Ltd 2022). A direct comparison of the key figures of both species is not possible at this point, since the Technavio bivalves report includes data of several mussel species (clams, scallops, etc.), whereas sea cucumbers are a stand-alone species and are thus not allocated to any subgroup in the Absolute Pvt Ltd report. Nevertheless, these figures outline a growing market with new business potential and opportunities. On the contrary, aquaculture of marine algae, dominated by seaweeds, dropped by 0.7% in 2018 (FAO 2020). However, the FAO still attributes growth potential for aquaculture of algae from temperate latitudes and cold-water species (FAO 2022b).

Overfishing, the growing world population, and the increasing global food demand led to a rising trend in European aquaculture production of low trophic species (Gonçalves 2022). In 2012, 338t of bivalves were produced. However, one year later, the production had already increased to 1500t, maintaining at the same level until 2016 (Gonçalves 2022). The encyclopedia report shows that bivalves are one of Portugal's most produced mollusk species, making up 67% of all aquaculture production (Gonçalves 2022). On the contrary, the production of sea cucumbers is still in its infancy in most areas of Europe. According to the European Commission (2019), “sea cucumbers may just be the next big thing for European aquaculture.” Therefore, several European non-governmental organizations’ (NGO’s) as well as sustainable seafood companies invest in knowledge, expertise and technology to increase sustainable trophic-level species aquaculture in the Atlantic Ocean (F. Mercedes 2022; Cordis European Commission 2019; The Fish Site 2019). These organizations are working towards new farming methods which are economically profitable and achievable at large scale.

5.2 Chosen Market for Scallops

Trade (Import and Export): The scallop industry is one of the most profitable fisheries in the Atlantic (Sennott 2021). “The (global) scallops segment is expected to expand with the fastest CAGR of 5.1% from 2022 to 2028.” (Grand View Research 2020). In general, “Production of oysters, clams and scallops in Europe is much lower than the mussel production.” (Wijsman et al. 2019, 13). Nevertheless, the demand for bivalves, for instance scallops, increased from 2019 until now. According to EUMOFA (2022), in 2020 the European Union (EU) imports of frozen scallops added up to 14.403t and 4.219t of fresh scallops. In contrast, only 2.820t of frozen scallops and 248t of fresh scallops were exported from Europe. France is the leading exporter in Europe, followed by Denmark. France, Spain and Italy are the key importers of scallops.

Consumption: Scallops are highly demanded due to their nutritional value and good taste. One of the primary growth factors for scallops as a food product is the rising inclination of Europeans towards a healthier lifestyle, which led to higher consumption of protein-rich seafood such as scallops (Shahbandeh 2022; Grand View Research 2020; FACT.MR 2022). Additionally, the growing demand for high-quality food, considering freshness, product variety and food safety, is a substantial advantage for the European scallop market. The main scallop customers are distributors, retailers, restaurants and hotels (Europages 2022; Gradner Pinfold Consulting Economists Limited 2001). The market is confined essentially to scallop meats: the edible adductor muscle.

Taking a closer look at the Portuguese market, the country is one of the largest consumers of fish in Europe, consuming an average 60kg of fish per person per year, ranking third among developed nations in terms of seafood consumption (per capita) (Laurenti 2010; Vanhonacker, Pieniak, and Verbeke 2012; NEF 2016). Approximately 70% of the Portuguese eat seafood once a week (Pieniak, Vanhonacker, and Verbeke 2013). In addition, 2% of the fish consumed is produced domestically in aquaculture. Portuguese wild fisheries made up to 35%, whereas imports accounted for 63% of the consumed fish (WWF MMI 2017).

Price: The FAO (2021) shows that the seafood price skyrocketed in 2021, pushing up scallop prices predominantly for large specimens of scallops. In May 2021, in Galicia, the market price for scallops (typically sold including the shell) reached on average 5 - 6 €/unit depending on the size (Cortés et al. 2021), which translates to 43.5 - 52.2€/kg at 8.7 units/kg (The Fish Society 2022). According to the global trading platform Tridge (2022b), the price collection of representative wholesale prices for fresh scallops in Rungis France has jumped to 42.99 €/kg (meat only) in December 2022 (Tridge 2022b). In Catalonia Spain, the wholesale prices for fresh scallops reached 17.17 €/kg (Tridge 2022b).

Competitors: The European scallop market is defined as a highly fragmented sector. Companies in the European scallop aquaculture sector have a very marginal commercial activity (Strand, Louro, and Duncan 2016). France and Spain are one of the key players competing within the scallop *Pecten maximus* aquaculture industry (Magnesen 2022; Da Costa 2022). L'écloserie du Tinduff (Comité Départemental des Pêches 2022) from Plougastel-Daoulas (France) produce scallops in their hatchery and open sea farm. As a result, nearly 10 million spawns are produced each year, of which three million are sown in the Bay of Brest (located in Brittany in north-western France). Integrated aquaculture companies with commercial hatcheries co-cultivate *Pecten maximus*, in their larval state (spat) with other shellfish species are currently not existent in our key market Portugal (Araújo 2022). Overall, the market is dominated by aquaculture companies producing shellfish like clams, oyster, mussels. The scallop aquaculture sector is also facing increasing competition from commercial fisheries. In 2013, the fisheries' produced 49,400t of *Pecten maximus* and *Aequipecten opercularis* scallops in the UK (Strand, Louro, and Duncan 2016) and 23,60t in France.

5.3 Chosen Market for Sea Cucumbers

Trade (Import and Export): Aquaculture of sea cucumbers is a highly dynamic industrial segment in Asia. According to Louw and Bürgener 2022, China dominates the international sea

cucumber trade. Generally, “China Hong Kong SAR, China, Singapore, Malaysia, Taiwan Province of China, Republic of Korea and Japan account for almost 90 percent of the total imports of trepang, with approximately 80 percent of the overall international trade destined initially for China, Hong Kong SAR. “ (Toral-Granda et al. 2008, 101). China imports multiple sea cucumber species as a result of its varied purchasing power (Choo 2008). Hong Kong is the major trade hub and leading importer for sea cucumbers in Asia with an import value of \$197.25 million and import volume of 2.38 million tons in 2021 (Tridge 2022a). In addition, Hong Kong is "having the largest entrepôt controlling 80 percent of the global import-export sea cucumber trade." (Toral-Granda et al. 2008, 101). From 2012 to 2019, Hong Kong made up to 63% of the total sea cucumber imports. Predominantly Africa, Japan, China, USA, and Canada supply Hong Kong with sea cucumbers (Appendix 4). Mainland China is the second top importer for sea cucumber products (Louw and Bürgener 2022).

In 2021, Hongkong was the world’s largest export destination of sea cucumbers with an export value of \$27.80 million and an export volume of 1.40 million tons (Tridge 2022a). Hong Kong's current share of the world's total sea cucumber's market is 11.91%.

Consumption: Sea cucumbers are mainly consumed in China, but also in Singapore, Vietnam, Korea, Malaysia and Japan (Rahman and Yusoff 2017). Dried sea cucumbers of excellent quality are high-demand trending products in Asia, regardless of the species. A significant proportion of consumers in Asia, especially Taiwanese and Hong Kong citizens, are willing to pay more for high-quality sea cucumbers (Ferdouse et al. 2004). Sea cucumbers are frequently served at events such as weddings and banquets or at festive meals (Clarke 2004). Around festive seasons, for example Chinese Lunar New Year, businesses in that industry can reach their highest sales volume. Sales prices increase by up to 20-30%, just before Chinese Lunar New Year starts (Alvarez 2022; Clarke 2004).

Price: Due to the increasing demand, bêche-de-mer prices are kept at an attractive level. In Asia, consumers are willing to pay from €300 to €1,500/kg for a premium product (Barboza 2008). Especially Hong Kong, Taiwan, and Singapore fetch high bêche-de-mer prices (Choo 2008). The product price is based on the type of species, size, and post-harvest quality (Altamarino and Zaidnuddin 2022; Choo 2008). According to Shelley Clarke (2004), size, species, level of processed product dryness, and time of year are the major price determinants for sea cucumbers. Generally, “Updated price data, which could serve as the basis for formulating sound production and marketing decisions, do not exist.” (Rahman and Yusoff 2017, 28). In general, sea cucumber species of Asian origin are perceived as more prestigious compared to European ones. However, European species are receiving more attention due to higher quality and environmental standards in the EU.

Competitors: High-quality sea cucumbers are mainly grown in Japan, the Pacific Coast of South America, South Africa and Australia (Choo 2008). Sea cucumbers farmed in Indonesia, the Philippines, and China are “of lower quality due to species composition and inferior processing techniques.” (Clarke 2004, 54). Water pollution, ineffective processing management systems and techniques specific to sea cucumber conservation (conventional drying methods), lead to lower product quality in these regions (Choo 2008; Perez and Brown 2012; Barboza 2008; S. W. Purcell et al. 2013). An accurate understanding of efficient aquaculture techniques is necessary to produce high-quality products. Due to complex cultivation programs and extended production times, the volume of production has been steadily declining across Asia (Toral-Granda et al. 2008). Thus, the development of highly innovative and technological aquaculture solutions are needed to meet the high demand in Asia (Maritime Fairtrade 2022; Giraspy and Walsalam 2009).

Opportunity with Supplements: Bêche-de-mer powder is also used for food supplements in traditional Chinese medicine (Cheon 2021). Sea cucumber supplements provide many health and nutritional benefits, “from acting as a natural antioxidant to providing active compounds and essential nutrients to nourish the body” (Nova Sea Atlantic 2022). According to Precedence

Research (2022), the global dietary supplements market is expected to increase until 2030. In 2021, the market size was estimated to be worth \$335.24 billion, and by 2030, it is predicted to reach over \$624.7 billion, growing at a notable CAGR of 7.1% from 2022 to 2030. Sea cucumber supplements can be sold for nearly \$1 a gram (Azari 2022).

5.4 Economical Background on Aquaculture of Aquatic Animals

“In 2020, global aquaculture **production** reached a record of 122.6 million tons, with a total value of USD 281.5 billion” (FAO 2020). Thus, aquaculture accounted for 49.2% of total aquatic animal production of aquaculture and fisheries combined in 2020, while in 1990 it accounted for 13.4%. Excluding Norway, in Europe the share of aquaculture is below 14%.

The most dominant producing region is Asia, which contributed to 88.4% of global aquafarming production of aquatic animals (FAO 2020). In addition to that, the top five aquaculture countries are in Asia. America, Europe, and Africa account for 5.0%, 3.7%, and 2.6%, respectively.

From 1990 to 2020, aquaculture for aquatic animals has grown at an annual rate of 6.5%, however, growth is slowing down. The projection for 2030 is that aquatic food production will grow by 15%, and that this growth will mainly be attributed by an intensification and expansion of sustainable aquaculture. On a global scale, aquaculture production growth has been steady, as local fluctuations have been compensated by the prevalence of international **trade**, and demand experienced a continuous rise. “In 2020, world exports of aquatic products, [meaning combined fishery and aquaculture] excluding algae” (FAO 2022b), totaled 60 million tons at \$151 billion. From 1976 to 2020, the nominal annual growth rate of aquatic products’ trade value was 6.9%, and the inflation adjusted growth rate was 3.9%, “corresponding to an annual growth rate of 2.9% in terms of quantities over the same period” (FAO 2022b). The European Union is the strongest importing region at 34%, and the US and China also have strong imports at 15% and 10%, respectively (FAO 2022b).

In parallel to the trade, total **consumption** of aquatic foods has also increased by 3% annually from 1961 to 2020, at almost twice the rate of global population growth in the same time period (1.6%). This has manifested in an increased consumption per capita of aquatic foods: from 9.9kg in the 1960s to 20.2kg in 2020 (excluding algae) (FAO 2022b). Consequently, aquatic foods globally cover 17% of the animal proteins consumed nowadays. Just like aquatic food production, consumption is expected to increase by 15% until 2030, to 21.4kg per capita. FAO attributes this to “rising incomes and urbanization, improvements in post-harvest practices and changes in dietary trends” (FAO 2022b).

To conclude, aquaculture is a dynamic industry that is developing strongly in terms of production and trade volumes, and consumption. This does not only present a great opportunity for AQUATA but will likely attract more and more attention from investors.

Science Based Entrepreneurship Field Lab 22/23 Group Work

6 Feasibility of Our Solution

In the following part, the potential for AQUATA as a fast-growing business and promising business opportunity is examined by analyzing the aquaculture market environment in Portugal, the aquaculture process of scallops and sea cucumbers, and strategic partnerships to decrease AQUATA’s market entry barriers.

6.1 The Beneficial Environment in Portugal

Conditions: The Portuguese aquaculture industry benefits from ideal climate and environmental conditions as Portugal is located in the second-largest marine area in the world (Cadete 2022). Aquaculture businesses operating near the Algarve in the South of Portugal are well positioned as the North Atlantic Ocean offers a high-quality growing environment, including ample marine space, excellent water and natural food quality. The Algarve has optimal weather conditions as the climate is stable over the year, which is one of the crucial aspects to achieve high growth rates in our open sea farm. According to the EU Water Framework Directive, “the Algarve coast

is classified as a mesotidal, moderately exposed Atlantic coastal type. This coast is affected by seasonal upwelling induced by northerly winds from May to September, which can supply nutrient rich water resulting in high primary productivity contributing to a commercially valuable fishery as well as bivalve aquaculture.” (Scottish Marine Institute 2015). However, climate conditions can change. In 2019, Algae toxins occurred in the Atlantic and led to the interdiction of bivalve harvesting near the Algarve coast (Domingues 2021). These algal blooms species can negatively impact coastal ecosystems, fisheries and the aquaculture industry through their production of biotoxins that could accumulate and concentrate in shellfish flesh. In that case, aquaculture companies should be prepared to intervene and save their seeds from toxins when conditions change, for example when transporting the species to an offshore operational center and store them until conditions get better. Overall, aquaculture companies benefit from premium marine conditions and Portugal’s coastal nation by having major economic activities such as fisheries, port and (seafood) market activity close to the coast. In addition, Governments support fisheries and aquaculture sectors through a wide range of policies and investments, including over €12 million for green and digital transition in 2022 (Redacción 2022). The Portuguese government supports both sectors in order to increase the sustainable use of the marine resources.

Certifications: Voluntary certifications are becoming increasingly important in the aquaculture sector as they demonstrate compliance along the supply chain and reward aquaculture companies’ commitment to developing sustainable, high-quality products. Portuguese firms can apply for several certifications (ASC 2022), such as The Aquaculture Stewardship Council (ASC) certification, which certifies high-quality and responsible production. ASC is available for 17 marine species (e.g., scallops and oysters) and addresses challenges like seafood mislabeling (NSF 2022). ASC also uses Marine Stewardship Council Chain of Custody (MSC CoC) standards for the supply chain to prove aquafarming businesses. In addition, the Best Aquaculture Practices (BAP) (SGS 2022) certification enables aquaculture companies to

demonstrate the environmental, and social responsibility of their farming practices, including aspects like animal welfare, food safety, and traceability.

In 1979, the European Union introduced the council "Shellfish Waters Directive 79/923/EEC" to protect the (marine) environment and to control the quality of shellfish waters and products (Lexparency 2022). Since, for instance, shellfish (scallops) and other marine invertebrates (sea cucumbers) can accumulate toxic substances from the ocean that can compromise their viability and quality, different seafood certifications have been established. The following three classification classes were developed to evaluate shellfish quality (Wijsman et al. 2019): Class A indicates "molluscs can be harvested for direct human consumption." Class B indicates, [...] "molluscs can be sold for human consumption after purification in an approved plant, or after re-laying in an approved Class A re-laying area, or after an EC-approved heat treatment process." Lastly, "Class C molluscs can be sold for human consumption only after re-laying for at least 2 months in an approved re-laying area, where necessary, by treatment in a purification center, or after an EC-approved heat treatment process." (Wijsman et al. 2019). The importance of seafood certifications is based on the increasing consumers demand for information about regional origins, production and legality of seafood products.

6.2 Aquaculture with Scallops

The scallop market is a very interesting business opportunity, because the demand clearly extends the current supply. In addition, there is currently no scallop aquafarm existent in Portugal, but according to Magnesen (2022) the technology of spawning and farming scallops has developed strongly, making it feasible to farm scallops nowadays. Interestingly OF also found scallops in their open sea farm lanterns, which proves that scallops can grow in the open sea farm and the Algarve water conditions. Besides the feasibility and business opportunity, scallops also strongly match our corporate vision to fight the world hunger crisis, because they are very beneficial for the human consumption as they have a high protein content of 12.06%

and are low in fats (European Commission 2022c). Additionally, they are beneficial to the environment by filtering and cleaning the ocean (Marshall and Wilson 2008).

In order to understand the scallop aquaculture and its feasibility, we conducted further research through interviews and literature reviews. After educating ourselves through research and meetings with scallop experts, we got advised that the most economically profitable and most suitable species for our operations, is the King Scallop, *Pecten maximus* (Magnesen 2022). Another reason is the natural occurrence of the scallop in the European Atlantic and in the waters around West Africa (Marshall and Wilson 2008). Hence, it is native to Portugal, which is one of the most important characteristics when choosing the species, we would like to cultivate. It can reach a size from ten to 16cm and is fan shaped with a so-called ear and two shell valves (Marshall and Wilson 2008). The King Scallop is a filter feeder, extracting particles from the surrounding water via a feeding current (Beaumont and Gjedrem 2007). Therefore, its diet consists of “phytoplankton, especially single celled algae, POM, bacteria and other micro-organisms” (Marshall and Wilson 2008, 10). Favorable growing conditions include water depth of 10 to 110 meters (Marshall and Wilson 2008) and temperatures above 6.5 degrees Celsius. The growth is improved when the water gets warmer, up to a maximum of 23 degrees Celsius (Laing 2000). They prefer low-mud areas and full salinity of 30-40 psu (Marshall and Wilson 2008). To ensure high survival rates and fast growth in our hatchery, we will artificially create the perfect growing environment for the scallops. The artificial adjustment of the hatchery’s environment is also essential for the reproduction of our scallops. Usually scallops have two spawning seasons, one in spring and one in late August, but we will try to influence their spawning behavior through simulating temperature changes, heat shocks and food deprivation, which according to Magnesen (2022) is a normal procedure in their hatchery. After fertilization, the settlement of larvae usually takes place 35 to 45 days later (Robinson et al. 2016). After 3 months the scallops will have reached a size of ten to 15 mm and are ready for the open sea farm.

In the open sea farm, they will spend another three years until they reach the commercial size of 10cm (Magenesen 2022).

Natural predators are starfish, crabs, and the common dragonet, but King Scallops are able to jump away from predators (Veale, Hill, and Brand 2001). However, when growing them in our lanterns they would not be able to escape, wherefore we need to secure the lanterns accordingly and do periodic controls. In addition to the scallops' predators, we also must ensure the animals health, by checking them for diseases, especially in the larvae stage. Another threat is the pathogen *vibrio pectenocida*, which can increase the larvae mortality drastically (Lambert et al. 1998). Therefore, regular checks for the pathogen in our laboratory are essential to ensure that the damage caused is minimal.

After the larvae stage the scallops are either grown out through the so-called ear hanging technique, in pearl nets or in lantern nets. Ear hanging describes the process of nailing the individual scallops on to a rope which is then released into the sea. This technique is very resource intensive, because every scallop must be attached individually (Wright 2016). Growing scallops in pearl nets, which are small pyramid shaped nets, has the advantage that the nets are light and collapsible and therefore easy to handle. On the contrary, the light pearl nets are usually not able to fully grow out the scallops due to the adult's weight (Hardy 2006). In addition, according to Maguire and Burnell (2001) scallops grown in pearl nets were on average 10mm smaller and 32g lighter than scallops in lantern nets. Lantern nets are the most typical grow-out method for scallops (Hardy 2006). Due to the lantern net's larger size and stable construction, they are usually used to grow out scallops until they reach adulthood and are ready to harvest. Therefore, we decided that lantern nets are the most efficient and suitable farming method for AQUATA.

Due to the scallop's diet and their lower place in the food chain, they are suitable for IMTA with sea cucumbers. Sea cucumbers feed on the scallops' excrements, enabling an efficient polyculture farming process. According to Zhou et al. (2006) the polyculture with scallops and sea cucumbers

in lantern nets did not decrease the survival rate of the scallops in comparison to monocultures, where the survival rate in monoculture and polyculture experiments ranged from 86% to 95%.

6.3 Aquaculture with Sea Cucumbers

Conducting thorough literature research, expert interviews and analyzing secondary data, we have found that aquaculture of sea cucumbers would assist in fulfilling the current needs of the growing world population. It would aid in combating the global food challenge and oppose the ongoing overexploitation of the animals, while tapping into a growing economic market, posing a valuable business opportunity. Aquaculture is a natural response to the mentioned aspects. However, many businesses are still in the early stage and unable to meet demand. Therefore, high levels of exploitation, primarily for Asian markets, are endangering natural stock levels (Projecto - Sea Cucumber 2022). Thus, in the following we will describe the aquafarming process of farming sea cucumbers, keeping in mind our idea of building our business around multitrophic aquaculture in Portugal and orientating towards OF as a role model. The main goal of our research is to find the best suitable species for aquaculture in the Atlantic and create an appropriate aquaculture biotechnology for the native species (Jorge Antonio Domínguez-Godino and González-Wangüemert 2019).

Dr. Beni Azari, head consultant of a sea cucumber consultancy, recommended us that we should work with a variety of species that naturally exist around the Portuguese coast in order to diversify our stock portfolio and realize the full potential of our aquafarm. Thus we considered the different geographical occurrences and specific conditions necessary for sea cucumbers to thrive in, evaluating several species, according to their specific needs, natural occurrences, the current state of exploitation and their economical profitability (Jorge Antonio, Mehmet, and Mercedes 2016). Based on his recommendations and our research, we choose the commercial sea cucumbers *H. mammata*, *H. tubulosa*, *H. poli*, and *H. arguinensis*. The latter one exhibits the highest economical revenue considering its profitability with a dried kilogram of the brown-

orange animals selling for at least €250. Valuable is the greater wet weight and thicker body wall compared to individuals of equal length (Jorge Antonio, Mehmet, and Mercedes 2016; Venâncio et al. 2022; González-Wangüemert, Valente, and Aydin 2015). Additionally, this species is of growing interest because the development of biotechnology for this species reproduction in aquaculture has increased facilitating the aquaculture process. Moreover, compared to the aforementioned species it has a more constrained range of natural occurrence and is most pressured by illicit fishing (Jorge A. Domínguez-Godino et al. 2015; Jorge Antonio, Mehmet, and Mercedes 2016). Hence, we have chosen to use *H. arguinensis* to illustrate the aquafarming process. *H. arguinensis* natural habitat includes the Canary Islands and the area from the Berlengas Islands to Morocco and Mauritania, including and some parts of the Mediterranean Sea. The species is found from the intertidal zone, where the ocean meets the land up to 52 meter depth, exhibiting no shelter-seeking behaviour (Marquet et al. 2017). Hence, the species is native to Portugal, just like *H. poli*, which occurs in the subtropical zone with large populations in the Atlantic Ocean and the Mediterranean Sea (Jorge A. Domínguez-Godino et al. 2015). *H. tubulosa*, can also be found in “the eastern Atlantic Ocean as far north as the Bay of Biscay and in the Mediterranean Sea” (MSG 2022, 1). Moreover, *H. arguinensis*, as it is relatively large in size with an average of 30 cm. The species is edible and exhibits high levels of proteins adequate for human consumption, making up more than 40% of the total dry weight (De Carvalho-Souza, Roque-Atienza, and González-Ortegón 2022). It is also acceptable for human consumption with its nutritional content being comparable to that of other typical commercial sea cucumber species (Jorge Antonio Domínguez-Godino and González-Wangüemert 2019). Moreover, all of the mentioned species exhibit significant antioxidant activities and are low in carbohydrates and fat, wherefore they are highly sought after in the Asia-Pacific region. Currently, the Mediterranean and Atlantic species are gaining more attention, due to the existent unmet demand and the consequential economic opportunity especially in the Asian markets (Jorge A. Domínguez-Godino et al. 2015). Thus, next to the economic reason and the sea cucumber’s potential as

alternative food source, there is also a growing interest to farm the animals and the mentioned species, as the aquafarming biotechnology for larvae and juveniles have recently evolved, facilitating the development of aquaculture (G.-W. Mercedes and Jorge Antonio 2016). Moreover, they are promising candidates for IMTA as they are high in market value, but low-trophic, deposit-feeding organisms. Therefore, as something that removes organic waste, which can have a negative impact on the seafloor and on the aquafarm, the animals present a great environmental and economic opportunity.

According to Dr. Beni Azari, prior careful planning and the broodstock management system is of high relevance determining the outcomes success. Hence, before starting our aquafarm, it is important to carefully plan and calculate, set key performance indicators (KPIs) and conduct as much field research as possible. Moreover, it is essential to always take protocol of all influencing factors, like the sea cucumbers sizes and weight, but also the temperature in the hatchery or open sea farm, the spawning process and reproductive pattern and occurring environmental parameters, which are subject to seasonal fluctuations (Marquet et al. 2017).

Overall, the process of farming sea cucumbers is divided into different phases, starting with the broodstock collection and maintenance, followed by the spawning and fertilization. After that, the animals' evolution from embryo to larval to juvenile needs to be supported in a hatchery before the animals can be transferred into the open water.

The first step in cultivating sea cucumbers should be the collection of wild broodstock, which is native to the region, where the open sea farm or the cultivating ponds are located; in our case the Algarve in the South of Portugal (Azari 2022). Sticking to native species raises the probability of survival, mitigating risks related to diseases or necessary environmental conditions while a negative interference with nature is limited. Additionally, as the health of the individual broodstock animals is crucial to the hatchery's performance, only the biggest and healthiest animals should be used for broodstock (Cruz 2022). After the catch, they need to be carefully

transported in individual cages filled with aerated water, as the animals suffer from motion sickness (Holmyard 2021). These individuals should be kept in large tanks with sand to allow burrowing behavior and previously collected sediment for to ensure natural feeding conditions. They should be “filled with flowing sand-filtered seawater at ambient temperature” and the water should be changed every day and the sand every fortnight (Jorge A. Domínguez-Godino et al. 2015, 13). Moreover, they need to be fed with microalgae consisting of planktonic and benthic diatoms, because good nutrition and water conditions ultimately render the success of the following spawning process. Obtaining knowledge and “understanding the reproductive biology of a species is central to sound fishery management” (Marquet et al. 2017, 121). Thus, considering the reproduction cycle, one important thing to notice is that the chosen species usually spawn around different times during the year. However, in the hatchery one can work with temperature shocks to induce spawning, as it simulates nature’s seasonal temperature changes. For the spawning induction the animals should first be cleaned with fresh “sea water to remove sediment and other organisms” and then be divided into groups of 25 to 35 for each 250-L tank (Nguyen, Mariamu, and Pham 2021). There are several methods that can be used for spawning. One established methodology is called thermal stimulation, in which aquarium heaters are utilized to raise the water temperature three to five degrees Celsius above ambient to approximately 25 to 27 degrees Celsius. Afterwards the broodstock is placed in the tanks and the heat is maintained over a maximum of one hour and 30 minutes. After the females have spawned, the eggs were left in the tanks for another hour to ensure fertilization and then sieved into a bucket to clean them. The eggs transform into larvae within 48 hours after fertilization and start feeding on microalgae, which needs to be provided in the tanks. The microalgae quantity should be gradually increased as larvae grow until they metamorphose into the short non-feeding phase around day 18 until 20. Mortality during the larval phase is especially high as after 20 days the survival rate drops to 30 - 34% (Rashdi et al. 2012). After around one month of larval development reaching a length of 20mm the Juveniles are maintained in the hatchery for another

two months in sand-based nursery tanks. After that, the grow out phase happens once the sea cucumbers weigh around 10 to 15g and are three to seven cm long (Azari 2022). To cultivate the animals in lanterns in the open sea farm, factors like the carrying capacity, the number of juveniles, the needed square meters, space in the lantern nets and other tools like the cleaning equipment or a boat needs to be considered. Moreover, the water quality and the food circulation needs to be assessed, to understand the environmental conditions and to choose the location for the farm in the first place. During the first grow-out cycle the initial biomass and stocking density should be low. Moreover, the juveniles can either be stocked on a regular basis so that cohorts of various sizes coexist in the lantern, helping to keep the total biomass as close to the carrying capacity as possible (Pascal and Robinson 2011). Sea cucumbers cultivated in lanterns can reach a market size of 350 to 400g between five and twelve months, depending on the different sites and seasons. As theft is a present issue, the sea cucumber stocks should be guarded at night (Pascal and Robinson 2011).

For the harvest, Dr. Azari recommended selective harvesting, even though it is human resource intensive. This includes only harvesting the ones that have reached an adequate size and letting the small ones grow out. Overall, in reference to our idea of farming sea cucumbers, Dr. Azari recommended to start as a pilot to analyze all parameters, observe our findings and calculate the needed investments for investors, before scaling our operations (Azari 2022).

6.4 Aquafarming Entry Barriers

When newcomers enter markets, they will face barriers that can prevent or impede newcomers from entering a new market or industry sector. This can be advantageous for companies already existing in a specific sector but can damage the whole industry. Without new competition, the pressure to innovate is minimal, leading to inefficient and outdated companies and solutions. Depending on the sector, these barriers are complex or less challenging to overcome. They exist due to specific requirements needed to succeed in the industry, such as knowledge, talent, capital,

technology, or rare materials. In the following, the market entry barriers in the aquaculture market are analyzed and several solutions to overcome these barriers are presented.

6.4.1 Challenges of Starting a Business in Aquaculture

Aquafarming is a massive business opportunity but is also bound to several limitations and challenges, as due to very high market entry barriers, the market is not satisfied yet. These limitations occur for several human-made reasons due to irresponsible and excessive behavior, such as pollution through throwing trash in the ocean, over-fishing, and unsustainable fishing methods.

First, the mentioned human behavior has limited the space for sustainable aquaculture because many areas are polluted with toxins and other chemicals, leaving them with low water quality. The low water quality can either decrease the survival rate of bivalves or fill them with toxins due to their filter feeding, making them unsuitable for human consumption. The limited space has created strict regulations in the aquafarming market, making it increasingly challenging to obtain open sea farm licenses. In addition, it also makes aquafarming hard to scale, because the population density of the species is a central bottleneck for aquafarms due to the high competition for food.

Second, aquafarming is a capital-intensive business because it requires licenses for the open sea farm, a highly technological hatchery, boats, laboratory equipment, and other expensive equipment. In addition, some species take several years to reach commercial size, are season dependent, can only reproduce at certain times, or have high mortality rates. Also, the risk of losing a whole batch due to diseases is high. The capital is invested for an extended time before revenue is generated, while the expenses are reoccurring and must be paid. This financial market entry barrier is a significant problem. It can only be overcome through prolonged farm growth or significant investments covering the first years in which no revenue will be generated.

Lastly, high-quality seeds or broodstock of a species are a valuable and rare resource, nevertheless essential to start with the aquafarming process. This resource is not rare due to scarcity but because aquafarms invest time and resources to identify resilient and genetically

optimal individuals. This is a significant factor for the efficiency and economic viability of the farm, as well as a substantial competitive advantage over other farms. The broodstock will therefore have to be collected in nature and will only compete with other aquafarm's broodstock through excessive research and development (R&D) expenditures.

6.4.2 Strategic Partnership with OF as a Market Entry Facilitator

OF is a highly technological and innovative startup that produces high-quality clams in their open sea farm close to the Algarve. As stated before, OF is the inspiration for our business model and has been a close contact since the beginning of the business model development phase. Therefore, we are also planning on engaging in a strategic partnership with OF, helping both ventures grow and scale even more efficiently. Our strategic alliance with OF will help to eliminate significant market entry barriers for AQUATA and tackle challenges that OF could face during further scaling phases. Currently, OF is using up to 50% of its space in the open sea farm and by the time AQUATA launches in 2025, OF will have expanded to a second open sea farm. OF will only be able to fill part of the new space with their clams because producing that many clam seeds will take several years. Therefore, AQUATA agreed with OF to share the second open sea farm for five years, for example. This partnership will be a risk-sharing agreement, of which several different versions exist (Reis 2022). Therefore, both parties will have to discuss the kind of compensation for the usage of the open sea farm. First, OF could become a shareholder of AQUATA and will profit from our future growth. Second, AQUATA could pay a fixed rent for the used open sea farm space. Lastly, OF could receive partial revenue shares of AQUATA's future revenue.

Through sharing the open sea farm, AQUATA will remove the market entry barrier of licensing an open sea farm, which is a highly complex process and can take up to five years. In exchange, OF can either increase their profit margin per kilogram of clams because the fixed costs of the

open sea farm are lower due to our rent payments or will profit from AQUATA's growth in the future by being a shareholder or receiving revenue shares.

Science Based Entrepreneurship Field Lab 22/23 Group Work

7 Our Solution

AQUATA is a highly innovative and technologically advanced scallop and sea cucumber aquaculture business. Its focus lies on efficient and sustainable farming procedures, allowing us to become a respected and recognizable European aquafarming brand, supplying Portugal, Spain, France, and specific Asian countries with our high-quality products. AQUATA is an independent, legally registered company but maintains close connections with OF. Through expansion and scaling, we will increase our revenue and invest in our own sea farm to scale our value creation, income, shareholder return, and impact.

7.1 Pillars of Innovation

AQUATA relies on three pillars of innovation which build the foundation of our competitive advantage and set us apart from other aquafarming companies. Combining all three pillars allows AQUATA to be economically efficient, resourceful, and rapidly scalable.

7.1.1 Integrated Multitrophic Aquaculture

IMTA refers to a balanced ecosystem in which the by-products of one cultivated species are transferred to another, resulting in high profits and environmental cleanup (Toral-Granda et al. 2008). IMTA is possible when two or more species coexist in an aquaculture system and require similar environmental conditions without competing for food and space. This is known as ecological compatibility (Zhou et al. 2006). By combining species that complement each other, the resource input must only be minimally increased while the economic output increases strongly, making it a very efficient, economically valuable, and sustainable aquafarming method. In the last decade, the IMTA approach has gained significant importance because the reabsorption of waste products of one species by another is more sustainable than monoculture (Neori et al. 2004).

AQUATA uses this IMTA approach because sea cucumbers are deposit feeders and act as scavengers, while scallops are bio-deposit-producing bivalves, making the two species ecologically compatible. Scallops feed on micro-algae / phytoplankton as their primary food source, while sea cucumbers feed on excrements of other species and phytoplankton. The sea cucumber's diet is advantageous in the hatchery and the open sea farm because there is nearly no extra nutrition needed to grow the sea cucumbers. In addition, they decrease the excrement in the water, saving time when cleaning the water, animal containers, and lanterns. The reasons above and their ability to use various organic resources from sediments make sea cucumbers particularly desirable for our polyculture system (Zhou et al. 2006). In the hatchery, the tanks that contain the animals will be split into two levels through a net structure, allowing the water to flow freely between the two levels. On the top level, we will store the scallops that feed on the microalgae, which we add to the water. We will store the sea cucumbers on the lower level, enabling them to feed on the scallop excrement sinking to the ground.

The concept will be very similar in our open sea farm, but it must be tested more precisely due to unpredictable circumstances such as currents, water flow, and sunlight. AQUATA will intensely experiment with the distribution of sea cucumbers across lantern levels to understand how the excrements of the scallops can be captured efficiently. Therefore, we will, for example, track the growth rate if the lantern levels are filled with sea cucumbers and scallops alternately and analyze it when the sea cucumbers are only in the lower levels. In addition, we will also combine scallops and sea cucumbers in lantern levels to see if this increases their complementary effects.

7.1.2 Genetic Breeding

Genetic breeding “is a branch of animal science that addresses the evaluation of genetic value in terms of estimated breeding value (EBV)” (Gupta and Gupta 2014, 345). It has been used for domestic livestock for quite a while but is emerging for aquaculture and aquafarms. Genetic breeding can be described as a simulation of evolution through which the optimal genetic

requirements of sea cucumbers and scallops can be reached quickly. This will be done by analyzing the genetics of our broodstock and their seeds to find individuals with a genetic composition supporting high growth, high resistance towards specific diseases, commercially valuable sizes, and forms, and other economically advantageous characteristics.

Genetic breeding will help AQUATA develop a competitive advantage over other aquafarms. Decreasing our input and maximizing our output will make processes more efficient and drastically increases our profit margin. This improvement will occur because the selection of genetically optimal broodstock will lower the mortality rates, decrease the needed resources and increase the animal's growth rate.

7.1.3 Our Innovative Technological Approach

AQUATA strongly relies on technology to ensure efficiency in every step of the farming process. By implementing a monitoring and prediction system in our hatchery, we have a real-time overview of the single parameters essential for the broodstock and larvae stage. This will help us minimize the mortality rate of the scallops and sea cucumbers and at the same time will collect data about the composition of parameters that create the perfect environment and conditioning for healthy growth. After collecting a large amount of data, AQUATA will be able to decrease the resource input and the animal's time spent in the hatchery and increase our production volume. In addition, we will later implement automation and robotics that can take over a significant amount of manual work, such as sieving the scallops, cleaning the tanks, and moving the animals from one tank to the other. We especially want to automate these tasks because they are standardized and labor-intensive (Magnesen 2022; Cruz 2022).

In the open sea farm, we will also heavily rely on technology. We will implement a prediction and monitoring system to understand the condition of the animals in the lanterns and to predict the optimal harvesting time. Additionally, we will invest in underwater drone data collectors because utilizing divers is very expensive. In contrast, underwater drones are easy to manage, cheaper, and

offer the same level of accurate inspection. The drones will mainly “track environmental parameters such as pH, salinity, oxygen levels, turbidity, and pollutants” (Le 2020). At the same time, we can check for mortalities, pollution, and damage in and on the lanterns.

Science Based Entrepreneurship Field Lab 22/23 Individual Work Lili Vidal

8 Our Strategy

A sound business strategy is essential to translate our vision and mission into an actual business plan comprising of set goals and a roadmap to achieve long-term success (Appendix 7). It provides a framework for decision-making, clearly defining the direction and focus of the company. Our commercial plan outlines the actions we need to take to communicate our value proposition to our target customers to stay ahead of the competition and reach profitable growth (Collins, Libarikian, and Unni 2020).

8.1 Our Value Proposition & Competitive Edge

Overall, AQUATA’s value creation evolves around developing an aquafarm to grow and sell sea cucumber and scallops. Targeting the European and Asian market, we will focus on selling to the B2B customer segment. Moreover, we will also work on establishing a brand to be able to increase company awareness, also around B2C customers. Distinguishing us from competitors, AQUATA’s overall mission is to maximize its sustainable and economic impact through innovative solutions, protecting the environment and the farmed species. Like this, we aim to serve our vision of aiding in combating the world's growing need for food by creating a sustainable protein source. Moreover, we will monetize the vast potential of the IMTA approach and the market in general as the first company in Portugal. Our mid-term vision also involves eventually collaborating with supplement manufacturers to create other sources of nutrient-rich protein, such as marine collagen. In the long-term sharing our knowledge as part of our franchise model will create value as it will enhance our network and product portfolio, differentiating us from potential competitors.

8.1.1 Branding

Our branding strategy is one of our main advantages contributing to our competitive edge. Branding is more than only a logo and a design. When done correctly, it creates a business identity and personality. It will ease the communication of our mission and purpose and how we aim to create a sustainable and responsible impact. Moreover, according to OF's Sales Manager, creating a brand is a relatively low investment compared to the outcome and impact it can generate (Reis 2022). Hence, branding is essential in distinguishing ourselves from other aquaculture businesses as well as wild fisheries. At trade fairs or online, it ensures AQUATA is recognized and stands out from the competition. This will significantly contribute to our value proposition when considering the industry we operate in and competitors' lack of online presence and branding (Jones 2021). As our team has a background in business and some of us already have experience in branding, we can tap into this opportunity, using it as an advantage to expand beyond the activities' other shellfish or sea cucumber companies utilize. In our public communication, we will include how we are fighting world hunger, while protecting the environment and the wild stock of individual species. Through this, we can enhance our storytelling to give our brand a face and establish credibility (Nyagadza, Kadembo, and Makasi 2020). We will also communicate how we reach our goals utilizing the newest technology and innovations to maximize our attractiveness to investors. When partnering with supplement manufacturers for the creation of supplements we will also benefit from a collaborative branding such as 'Vital Proteins x AQUATA', increasing our brand awareness and exposure, positively reinforcing our other business branches.

Visually the branding must be clear and help people to easily understand our mission. It should attract many customers, who are interested in sustainability and enable them to see what is achievable and necessary. Therefore, we selected blue colors for our logo, visualizing water and the ocean, making it easy for people to connect our company to the marine environment

(Appendix 5). Moreover, we chose modern fonts representing innovation. Finally, our name ‘AQUATA’ is self-explanatory as it comprises the Latin term ‘aqua’, meaning water.

8.1.2 Diversified Portfolio

One of AQUATA's competitive advantages is the diversified portfolio targeting different geographic markets. In the mid- and long-term, we even plan on adding additional revenue and impact streams through our supplements and our franchisee's species. Overall, this diversified portfolio appeals to a more distinct set of customers, through which we can mitigate our risk and negotiation power as we are more independent of every individual one. Considering our IMTA model, we will also be able to profit from economies of scale due to our diversified portfolio. Our scallops feed primarily on phytoplankton and hence do not need much additional input. As our sea cucumbers also feed on microalgae and scallop excrement, we have a lower fixed cost of production and will therefore be able to produce high quality at a lower price. Having different products in our portfolio will also help to broaden our brand recognition, which is beneficial for increasing our customer base. Additionally, it also aids in offsetting risk exposure since we target and serve different markets and customers. Thus, mitigating financial and market volatility risks will be useful, leading to greater income security but fewer expenses due to the achieved economies of scale (Andrés, Fuente, and Velasco 2021). Overall, we will strengthen, protect and stabilize our brand while helping us stand out against the competition, attracting customers and investors. However, we are also aware that it will require more time and research in the beginning, to establish ourselves in different markets and product segments, taking into consideration the entry costs and barriers and the higher upfront investment. Nevertheless, evaluating the pros and cons, we concluded that it is essential and highly beneficial for our business model and customers.

8.1.3 Optimized Efficiency & Reliability

Another aspect adding to our value proposition is our efficient operations and reliable supply. These usually result in stable customer relationships, furthering customer retention and the brand's reputation. Due to our implemented monitoring and prediction system in our hatchery and open sea farm, we will be able to manage our broodstock and larvae stage more efficiently. Analyzing the data will grow production, as we will be able to understand our animal's mortality reasons and work on reducing them. The mortality is further reduced by our selective and genetic breeding program as it decreases vulnerability to externalities and shorten the animal's life cycles. Our technological monitoring and tracking systems will make our supply further reliable, as the technology will make it easier for us to predict the growth process and yield. This will enable us to communicate our product's status and development, which benefits the relationship with our customers and investors. For instance, our underwater drones are increasing our delivery reliability as they can track and report data on different parameters, especially for pollution and animal growth. Like this, we will know when they reach a commercial size or if something affects their development, allowing us to react as fast as possible. Thus, AQUATA's optimized efficiency will lower our prices for consumers. Additionally, due to our harvesting and storage system in the operational center, we will have reliable all-year-round delivery. Finally, as we all have a management and entrepreneurship background, we can apply our business and planning skills. This will benefit us because "more aquaculture businesses fail because of poor management than poor production practices" (Webster, Buttner, and Flimlin 2008, 1). Thus, we can plan carefully and avoid costly mistakes other companies might make.

8.1.4 Certification & Traceability

Considering the increasing global pollution, people have become more aware of their food's origin and safety. Studies show that the global concern in regards to food safety and future food supply has increased by 10% (Tetrapak 2021). Aquafarming, when done in a clean environment

like the Algarve, can provide a safe food source, increasing the benefit for the consumer through safe and healthy products. Hereby, certification is necessary as an incentive for aquafarms to comply with health standards and regulations and as a competitive advantage once it is obtained. Because of the superior water quality at our open sea farm location near Lagos, the products' certified safety profiles enhance value attracting clients and earning their trust. We will aim to obtain certificates, like the BAP and ASC certification, demonstrating our commitment to providing safe and sustainably sourced seafood, allowing us to ask for a price premium (SGS 2022). Water quality is becoming an increasing problem worldwide, especially in the Asia-Pacific region, with, for instance, aquafarms in China facing severe challenges. Rapid economic growth in the APAC region “has created environmental degradation on an unimaginable scale”, resulting in the absence of edible seafood due to the lack of clean water (Barboza 2008, 2). Thus, especially in Asia, European products are highly valued when proven safe and sustainable, as European water quality is higher and pollution lower (Azari 2022). Moreover, as we control every step of production, we can ensure the traceability of the products from seed to commercial size. We will utilize this by implementing a QR code on menus or product packaging so that customers can retrace their products' journey (Appendix 6, 7). It will show the whole life cycle of the animals that the end customers will have on their plates or buy in the supermarket. Through this, customers will be able to fully comprehend the journey of their food and understand our sustainable business operations. This will further help to promote our brand and sustainable mission. Most importantly, however, it will help to increase customer retention and establish trust, as “trust is the confidence that customers have in [a] brand’s ability to deliver on what it promises and is essential to maintain and growing the customer base” (Qualtrics 2022, 2).

8.2 Our Commercial Strategy

To convert sales, attract investment, recruit talent and motivate employees, it is important to set goals and map out a short-, medium- and long-term commercial strategy. Evaluating and

periodically updating the marketing and sales strategy will help to structure our operations, finances and anticipate trends and challenges ahead to ensure growth and that our efforts and sales processes support the business objectives. Monitoring sales by employing KPIs is a vital measure in determining the efficiency of our strategy and comprehending customer behavior. To achieve best possible results, it is essential to sync our sales and marketing strategy as they both work together and, when done correctly, ensure business and customer growth.

8.2.1 Marketing and Pricing Strategy

Marketing is all about identifying potential customers, their needs, their demand and connecting the customer with the company and products. It is crucial to understand the customers' needs, translate them into packaging and pricing, and convince them that they need the products. In doing so, a well implemented marketing strategy enables us to better understand our target market, develop the right products, and choose the most effective means of communicating information about our products. Moreover, the finance and marketing team will work collaboratively to determine the marketing budget to cover our main expenses. These include the team's salary, advertising payments, online and offline campaigns, exposition participation fees, set up and maintenance of the website, and online tools to structure our commercial plan.

8.2.1.1 Target Customers

As our main target group is B2B customers, we need to figure out which marketing and sales channels are suited best to reach them. We defined our buyer personas as seafood distributors, building the intermediaries between AQUATA and the restaurants, retailers, supermarkets, or seafood markets. Our main B2B customers are in Europe and Asia, such as Nutrifresco, Nordic Seafood and other distributors reachable through platforms like Alibaba. However, we will also include some B2C strategies to increase brand awareness around end-customers, as this will reinforce B2B sales (Marques 2022). To reach our B2C customers, we will establish personal connections with chefs, restaurant owners, buyers of supermarkets, and the end-consumer. In the

mid-term for our supplement products we target a different audience. Due to the nature of the products they appeal to individuals generally interested in improving their health and wellness. They also do not fall into the general food category but are categorized as an additional dietary add-on. As they are directed at the end-consumer we will develop a promotion strategy within our B2C marketing to effectively target the group.

8.2.1.2 Product & Pricing

Considering our locational advantages in water quality and food security standards, the products will have excellent quality (Azari 2022). Hence, we will position our product in the premium sector and our brand as high value. On top of that, our outstanding value proposition involving our brand, mission, and vision are great features supporting our product sales and marketing.

Talking to experts, we received the advice to conduct price mapping by talking to several customers to understand their pricing, demand, and willingness to pay. Over different seasons and through various wholesalers, we can establish prices and fluctuations (Reis 2022). Especially as we also plan on doing business outside of Europe, we must be aware of currency fluctuations and tax differences. Moreover, it is crucial to understand the demand and the present buying and selling prices and consider competitors in the different target markets. Due to our valuable brand image, we will opt for perceived-value pricing. Thus, we position and promote our products on factors such as branding, the mentioned quality aspect, safety and certifications, reflecting the perceived value. To succeed with this pricing strategy, we need to ensure that the customer's value is higher than our costs (BDC 2022). We need to demonstrate the true value customers will receive from our product, since people typically evaluate the value they receive after the use (The Economic Times 2022). We could sell our *bêche-de-mer* for lower prices than other suppliers asking for the local Asian-Pacific species because these are seen as more prestigious and are highly demanded. However, due to the stricter European food regulations and the higher environmental quality and safety of the water, we can ask for a price not much lower than the

local ones (Azari 2022). For scallops we can ask for a comparably high price, as the market is unsatisfied and there is excess demand. On top of that, similar to sea cucumbers, our scallops are characterized by higher quality, safety and traceability, compared to wild scallops. Lastly, supplements are generally perceived as a premium product and considering the current trend towards a health and wellness we can generally ask for high prices.

8.2.1.3 Place & Promotion

Firstly, we must recognize that some of the marketing and promotion channels differ for our two products, as we are targeting different regions and markets in which different marketing strategies have proven to be effective or customary.

Offline, our marketing will include seafood catalogs and expositions, supermarket signs, and restaurant menus promoting our products. One of the main channels to promote our brand and connect with customers will be worldwide seafood trade fairs. Exhibiting at a trade fair provides the opportunity to showcase AQUATA's products to a large target audience of potential customers. This will help our business to generate leads, leverage performance, and build relationships with buyers while increasing brand awareness and recognition in the industry. Moreover, many expositions provide educational seminars and networking opportunities, valuable for gaining insights into new trends and industry developments. According to visitors at the Global Seafood Expo in Barcelona 2022, 86% of them were involved in purchasing decisions, and 75% of visitors who were looking to place an order or find a supplier achieved their objectives (Seafood Expo 2022). Considering our product portfolio, the competitor landscape, and the high demand for seafood in Asia, participating at the Seafood Expo Asia will be highly beneficial for us. Successfully engaging in networking and communicating our mission and value will help to foster business development of the entire industry chain in Asia (Seafood Expo Asia 2022). Next to these big global trade fairs, we will focus on smaller ones in our target markets, like the Expo Fish Portugal or the China Fisheries & Seafood Expo (CFSE 2022). On

these, the competition is not that strong, enabling us to connect with smaller and more local buyers (CFSE 2022). When displaying our brand, design, and value proposition, it should be easily understandable and appealing. Likewise, our value and mission must be clearly presented when selling our products in supermarkets or advertising them in seafood catalogs. Hence, we will use our easily scannable QR code as a fun and engaging marketing tool for people to understand the quality and origin of their purchase. Finally, we will further integrate our logo and QR code on restaurant menus, offering restaurants discounting strategies in return.

Once our brand is well known, they will profit from it by using our logo within their marketing as a sign of high product. Like this end users will get familiar with our brand as part of our B2C strategy. For instance, the circular economy startup NÂM mushrooms has started a cooperation with the Lisbon-based pizza bakery Lupita, supplying them with their oyster mushrooms (NÂM 2022). They advertised the partnership on NÂM's and Lupita's social media and integrated the NÂM logo on the menu. This allows customers to know where to enjoy meals, prepared with the brand's products. We plan on doing something similar, however, not only adding our recognizable logo on restaurant menus but also adding it to the products we sell in supermarkets. Increasing our brand awareness and communicating our value proposition could lead individuals to decide to buy our products in supermarkets or restaurants on purpose.

Additionally, we will apply for different **awards** within our industry, such as the Aquaculture Innovation Award by the Global Seafood Alliance, to recognize new solutions to key challenges in the aquaculture industry (Global Seafood Alliance 2022). Another important one is the Aquaculture Awards, which celebrates exceptional contributions to the aquaculture community (Aquaculture Awards 2022). Overall, awards are a powerful and meaningful way for brands to showcase their impact, stand out against competitors, and recognize hard-working teams to drive more business and add a layer of credibility and positive reputation (Matejko 2022).

Online, our main marketing channels will include our website and newsletters as well as online newspapers and other market outlets like distributor websites and catalogs. Social media accounts on LinkedIn, Instagram, and TikTok will also engage B2C customers through storytelling and raising awareness around our sustainable mission and the global problem we are trying to tackle. Our social media strategy must be engaging and approachable, appealing to the user's emotions. Examining different companies' strategies on these two platforms, we decided to keep an informal but informative tone. For content inspiration, we looked at several other startups like NÂM mushrooms or The Purple Turtle Co, a brand creating awareness around climate change (Appendix 8, 9). These two brands have followed a successful social media strategy, engaging in educative storytelling and explaining the problem they are tackling and their solution. They take the viewers on a journey, using entertaining short videos or pictures to increase the impressions and engagement rate. Similarly, using our story and background as young entrepreneurs, we will show our travels to other aquafarms, build AQUATA, explain our operations, present our team and accompany the process of building the hatchery and aquafarm. This part of our marketing strategy will support our B2C marketing and build brand awareness. As more professional channels, we will use LinkedIn and our bi-weekly email newsletter to establish AQUATA's online presence, reach, and credibility. We will share news, developments, industry updates, and product information and communicate our company's mission and vision. These channels primarily target our B2B customers while contributing to AQUATA's credibility and customer maintenance. Apart from coherent content and tone, frequent posting is essential to maintain consistency and keep the algorithm in our favor. Fostering engagement and a strong customer relationship, consistent brands are worth 20% more than inconsistent ones (Simpson 2019). As consistency is key to success, a well-planned and thought-through content plan is essential to build a coherent strategy. Team fluctuations, which startups experience, should influence our publishing consistency. Finally, the popularity of the different channels may

change as new social media and sales platforms arise. Therefore, staying on top of trends and integrating into new platforms as soon as possible is crucial.

On our website, we will present and explain our products and share related information and developments. The UX and UI design and the directory need to be self-explanatory and fun to engage with, including an 'about us' page, a 'contact' page, and a page showing our sustainable efforts, vision, mission, and, lastly, our value statement. Besides that, the website design must be visually appealing and display a clear value path for our visitor's journey (Hering 2022). To collect and evaluate the data, we will use our website provider, WIX's data analytics tool, to identify which pages or messages are the most fruitful. If our website is interesting and engaging, the lead conversion rate increases, with our goal being to reach above 2%. To achieve this, we need to target our identified personas, display great content, and include a call to action (CTA) (Hering 2022). We will follow the 80/20 rule of having 80% content that is helpful and 20% promotional content (Paalanen 2020). Moreover, we will integrate a list of our different sales partners like distributors, supplement manufacturers, supermarkets, and restaurants so buyers can go straight to the buying option. We will also include a review and FAQ section, where buyers can share their experiences or feedback in general. This allows us to address any common customer questions or concerns quickly and efficiently and could lead to improved customer satisfaction and loyalty, and increased sales. Further we will integrate our own blog on our website, as higher search-engine results are mainly driven by relevant keywords and new content (Hering 2022). Hence, a blog is relevant, as it provides a place to publish this content, overall helping to drive traffic to our website and convert traffic into leads (Hering 2022).

Hereby, a multi-strategy approach combining push and pull marketing will capture the audience that searches with an intended keyword through ads (Hering 2022). Overall, push marketing raises brand recognition while pull marketing encourages customer action (McWhirter 2021). As proven most effective, we will combine search engine optimization (SEO) and search engine

marketing (SEM). While SEO focuses on acquiring and monitoring traffic from organic searches, SEM refers to paid and organic advertising that we must carefully plan considering our marketing budget (Backlinko 2022). As part of our SEO strategy, we will collaborate with aquafarming blogs or articles, integrating backlinks and publish our own website blog. Deciding on Google Ads as a search engine due to popularity, SEM is great for brand recognition as we will be on top of the search list. This will enable us to see ad results quickly, while collecting and examining data, such as click-through rates (CTR) and cost-per-click (CPC), to effectively carry out promotional activities (Digital Marketing Institute 2019).

8.2.2 Sales Strategy

As a marketing strategy evolves around targeting and engaging the right prospects, our sales strategy will build on that, centering on how to convert the target audience into customers. Similar to our marketing strategy, we will need to be prepared to make occasional adjustments to our sales plan, depending on whether our sales team is hitting the sales goals and how the macroeconomic conditions in the market evolve. We will need to forecast our sales to determine the amounts that our customers will buy. Thus, the sales team needs to work closely with the financial department. The KPIs that our sales team will need to reach should reflect our expenses so that we can hit our goal of being profitable in year six. Moreover, as marketing and sales are intertwined, they must communicate to form a commercial strategy. Hence, to maintain a good overview, a **comprehensive business plan** should be developed, KPIs and data should be accessible for all, and regularly discussed and updated in meetings. This will help to plan out all aspects of our operations. The sales department must run smoothly, as they work the closest with customers and the success of our company is dependent on them. Hence, we need to plan carefully, working with business development software like HubSpot, synchronized Gantt Charts, and schedules as a base for our commercial infrastructure.

Additionally, developing strong **partnerships** is a key aspect of success, especially for emerging businesses, like AQUATA. They can help startups gain access to new markets, resources and expertise that they might not have access to otherwise. Partnerships can further support in adding credibility and help them establish themselves in the industry. AQUATA's main partners include OF seafood retailers and industry stakeholders like research institutes or experts, beneficial in gaining access to resources or equipment needed for our operations. Establishing relationships with regulatory bodies is also essential to understand any applicable laws or changes related to aquaculture activities. Wholesalers, distributors, or retailers established within the industry are also important to partner with for our distribution.

Although our hatchery, operational enter, and open sea farm have vertically integrated logistics, for sales delivery we work with reputable logistic companies to outsource this vital element, ensuring on-time and secure delivery. Especially, as our scallops are sold fresh, we must ensure that the goods are delivered in a safe and cost-efficient way. Taking our target markets into account we will sell scallops through intermediaries. For our freeze-dried sea cucumbers, we will leverage digital platforms and mainly sell our products online. We must focus on targeting suitable ones, such as Alibaba, to ensure we use the most common channels in the Asia-Pacific region. Our supplements will be sold through our manufacturers' website first.

Before making our first sale, we need to make a **quantity** and **pricing projection** to understand when it would make sense for us to start selling, depending on how much potential customers would like to order (Cruz 2022). Therefore, part of our sales strategy is to have regular contact with our customers, to understand their demand and willingness to pay throughout the different seasons of the year and market fluctuations. One recommendation we received for the sales of bêche-de-mer is waiting for high market prices before selling due to the long shelf life of up to two years, increasing our profit margin (Azari 2022). For Chinese New Year, the price for bêche-de-mer can rise by 50% per kilogram or even more, depending on the species (Yee 2019).

For a successful sales strategy, we need to choose the right channels and present our products and brand at the right price point. We must ensure that we convert our target audience into customers and build great **relationships** with them to establish a stable and reliable customer base. It is challenging to obtain the first customers as an unknown startup. Thus, one piece of advice we received is: while we start our production and build our operations, we already talk to potential customers and introduce our company and mission (Reis 2022). Considering our B2B model and our competitors' sales strategy, we discovered that most of them sell through third-party distributors like online retailers, fish markets, or supermarkets. Therefore, we will tailor the sales strategy to primarily target wholesale distributors functioning as intermediaries trading with seafood. However, considering our B2C sales strategy, we will also establish connections with chefs and restaurant owners to convince them of our products' quality and mission. We will build personal relationships with them to push our products onto our B2B customers while also generating a pull effect with chefs, restaurant owners, or consumers asking specifically for AQUATA's products. Thus, our sales strategy will include cold calls and emails to acquire, convert and maintain our potential customers.

In this regard, our team will dedicate time to **key account management** to establish solid partnerships, make our customers feel cared for, and ease their sales process (Frost 2022). The sales channels and strategies differ significantly as we plan to sell two different products in two geographically and culturally different markets. We have examined the different markets and import trends to choose the most interesting target countries to gain the most revenue and bundle our sales and marketing efforts (Tridge 2022b). We first focus on the Portuguese and then the European market for scallops and other western markets for our supplements. However, for our sea cucumbers, we need to know how to do business in the top importer countries, like Taiwan, Hong Kong, and China, as it is significantly different from doing business in Europe (Tridge 2022b). Hence, we must carefully observe and consider cultural differences and common

practices in the different markets that play an essential role when conducting business (Hofstede 2022). Especially in China, paying close attention to cross-cultural nuances greatly determines a business's success. Therefore, it is beneficial to employ someone with experience of doing business in China. To illustrate the importance of being aware of cultural peculiarities, one key concept we must understand is the Chinese *guanxi* (Wenderoth 2018). *Guanxi* roughly translates to the process through which social networks, personal ties, and relationships are created. It suggests reciprocal respect and duties between parties and establishes the effects of one's influence and capacity for action (Wenderoth 2018).

Finally, as part of our **customer service**, we will engage in direct calls and emails and send out a bi-weekly newsletter. An engaged team providing an exceptional customer experience will help to build customer trust and encourage repeat purchases (Ahmad et al. 2022). Moreover, it will be vital for us to obtain feedback once our customers have purchased and received the products. On sales portals or our website, we can quickly achieve this through an automated notification, asking for a review once the products have been delivered. We will also engage in phone calls or emails, asking for specific feedback to improve our products, operations, and sales. Apart from our products' high quality and reliability, we will also need to engage in discounting strategies, opportunity tracking, and loyalty programs to differentiate us from competitors and further our customer relationships. Moreover, channel support and in-person customer meetings are of great importance as they allow for direct communication with our buyers and allow us to understand their needs and present solutions tailored specifically to them (LeBlanc and Nosik 2019). We can increase our brand image and loyalty by investing time in channel support and customer meetings. Overall, our commitment is reliable delivery of high quality and safe products, to maintain the highest possible level of satisfaction among our customers and thus achieve a high level of loyalty and retention.

9 Regulations

Any aquaculture business needs to obtain several **licenses** before its business activity starts. AQUATA will apply for the Aquaculture Activity Title (TAA) to engage in aquafarming activities in on- and offshore facilities (ePortugal 2022). To build our hatchery on rented land in the port area of Nazaré, we will apply for a ground lease provided by the state-owned institution Docapesca. Docapesca manages all fishing ports in Portugal from Vila Praia de Âncora to Vila Real de Santo António. The license will allow us to build a private hatchery close to the North Atlantic and get access to ocean-water resources to be able to use fresh ocean water for our animals of Portuguese origin (ePortugal 2022). In addition, when starting our business, we will apply for an open sea farm license to breed, operate and sell our species and to be independent as soon as possible. As mentioned before, our strategic partner OF agreed to offer space in the second open sea farm for five years, starting 2025. In addition, the European Commission developed several **strategic guidelines** for planned and existing aquaculture activities, among others, to prevent potential adverse environmental impact in order to ensure health and animal welfare standards for cultivated species (FAO 2022a). In 2021, the Commission proposed new guidelines, including recommendations regarding aquaculture activities for a more sustainable, resilient, and competitive EU aquaculture sector until 2030. These guidelines promote a strategic direction for AQUATA on how to successfully develop an advanced aquaculture program that contributes to a blue bioeconomy (European Commission 2021). The European Commission defined the blue bioeconomy as “any economic activity associated with the use of renewable aquatic biological resources to make products” (EUMOFA 2018). European policies for **organic production** are governing the aquaculture sector. One main objective is to set a minimum standard for organic production in (and import to) the EU, mainly for bivalves and seaweed (European Commission 2022b). Due to AQUATA’s premium production standards, we ensure compliance with organic production guidelines to reach the best **eco-labeling options** (GAA,

ASC Standards, etc.) and production standards for various production systems. As mentioned, our production standards include high-quality feed, optimized water and nutrition control, and the renunciation of artificial pesticides, antibiotics, and hormones (artificially induced spawning). However, we have to comply with specific aquaculture **legislation**, including “the use of water resources, the water law, the maritime spatial planning, and the environmental impact assessment” as well as “hygienic and sanitary conditions of the purification and dispatch centers for live bivalve mollusks.” (DGRM 2022).

9.1 Regulatory Barriers

Starting an aquaculture venture is associated with long and complex legal tasks and multiple interactions with regulatory bodies. One of the main burdens that can appear in the European legislation and could hinder our initial business growth, are delays in the administrative process, especially lengthy processing times and unpredictable outcomes of licensing applications (IMPAQT 2022). As commercial sea cucumber and scallop cultivation remains a novel aquaculture program for several EU countries, it can cause uncertainty in licensing procedures, especially when applying for an IMTA license. According to IMPAQT (2022), regulators do not have enough evidence for the development of new regulations, particularly related to the development of commercial-scale IMTA operations (Krause et al. 2022).

As there is a large body of European legislation and potential regulatory barriers covering our aquaculture activities, we will hand over this part to our legal specialist Claude Kaplan, as briefly mentioned in the team section (Kaplan 2022). With the help of our theoretical analysis, we see the advantage of speeding up the legal application process and acquire some knowledge for ourselves.

10 Roadmap

AQUATA's roadmap will outline our key milestones that are required to launch a successful aquaculture business. The current milestones are set to determine our journey until 2033 (Appendix 10).

10.1 Our Company through Time

We will start our actions by travelling to multiple aquafarms, restaurants, and aquafarming specialists in our target markets. Our goal is to build a strong network in these markets and to learn about the farming procedures in more detail. Our travel will start in March 2023 and will take until August 2023. At the same time our R&D specialist Gonçalo Araújo will begin with the development of our scientific breeding program.

In early 2024, the construction of our hatchery will begin and take up to one year. While building the hatchery we will focus on all essential parts for our production first, allowing us to start the production already in November 2024. During the summer of 2024, we will also acquire our first boat and build the first long line system. Since the production can start in November 2024, we will transport our first sea cucumbers and scallops to the open sea farm in January 2025. The first batch of sea cucumbers will be grown out and sold in November 2025 and the first batch of scallops in November 2027. When the first batch of each species is grown out, we can use them as broodstock and will integrate our supply chain vertically. In 2029, we will diversify horizontally by selling our sea cucumber supplements. At this point in time, we also focus on scaling our aquafarm and will invest into our second long line system and second hatchery. AQUATA will scale further in 2034, when we will build our third long line system.

From a financial perspective, our roadmap will begin with the receipt of our first grant in March 2023. In October 2023, we as the founding team will join an accelerator program for 5 months, to further develop AQUATA. Further investments in AQUATA are the Seed round which will

take place in May 2024 and our Series A which starts in May 2025. Last but not least, we will prepare our exit in 2032 and will go through with our prepared strategy in 2033.

10.2 Exit Strategy

Although we are just starting now, we need to have an exit strategy from the beginning. This is particularly important as we already use external investors early on. These are usually only willing to invest and thus take risks if they can see that they can get a significant return on their investment within a few years.

Our valuation for the exit was derived using enterprise value (EV) multiples. We adopted these from integrated salmon producers, as suggested by the investor guide from TNC and Encourage Capital, as it is the only sub-sector that has "many large, public companies, broad research coverage, and available data regarding valuation and operational metrics" (O'Shea et al. 2019, 74). The metric that seems to be best suited for our valuation is EV divided by earnings before interest, taxes, depreciation, and amortization (EV/EBITDA); On the one hand this is one of the most commonly used multiples (Indeed Editorial Team 2021), and on the other hand it accounts for the fact that the cost structure of a salmon farm is quite different from ours. Out of eight salmon aquafarms that were explored, the median EV/EBITDA ratio was 10.3 (O'Shea et al. 2019). This implies that in 2033, where our EBITDA is €102 million, our valuation will be €1.05 billion, thus achieving unicorn status. This would therefore be a desirable timing for an exit.

For us, an acquisition by another company in the aquaculture sector is particularly realistic and desirable. Here we see the greatest synergy opportunities and therefore anticipate the highest possible valuation. We want to explain this with two specific acquisition examples: Oceano Fresco and Nutreco.

OF currently has two clam species in their range. They will sell these indirectly and directly to restaurants, the indirect sales channel being through distributors (Reis 2022). Revenue synergies could come from cross-selling the products, an expanded customer base, or increased pricing

power. Since no restaurant has only clams on its menu, other seafood products have to be sourced from other producers. The larger the product portfolio of a single producer, the more convenient this is for restaurants, and it is plausible that they will be willing to pay more for it. Potential cost synergies can be achieved by combining marketing and sales activities, reduced professional services fees, shared facilities and areas, and shared resources that are not fully utilized. It is also likely that the knowledge transfer resulting from the expert cooperation will lead to a reduction in costs, as best practices can be implemented which, for example, can increase the species' survival rate. In addition, the portfolio diversification reduces the operational risk, for example by avoiding that a large part of the animals is wiped out by a specific predator or disease. OF has told us that they are looking to expand the portfolio, so we believe they would be open about an acquisition (Reis 2022).

Nutreco, a manufacturer of agriculture and aquaculture feeds, has strategically invested in and acquired other companies to create synergies (Nutreco 2022a). In addition to the synergy opportunities that AQUATA could have with OF, it is also possible that costs can be reduced by lowering mortality through disease treatment options in Nutreco's portfolio. The geographic diversification would also be beneficial for Nutreco, as it would lower their business risk.

Another exit option for AQUATA is an **Initial Public Offering (IPO)**. Unlike the acquisition case, our valuation could not be positively influenced by synergies. However, a factor that could potentially lift our valuation up is if blue economy would become a new trending topic. Currently, climate action and clean energy are strongly in the focus of investors (Dealroom 2022) is therefore not unlikely that blue economy and zero hunger will also receive a boost in the coming years. An IPO would also have a strong signaling effect on other entrepreneurs and investors, who could see that aquaculture is indeed a financially viable field. Lastly, by going public, the general public could invest in AQUATA and support our impactful mission.

11 Conclusion

In conclusion, AQUATA is a great business opportunity with huge potential. We presented our solution of an IMTA approach to provide a sustainable food source for the growing world population. AQUATA is well-positioned to take economic advantage of the ever-increasing demand for protein while generating sustainable impact and contributing to the UN's SDGs. The focus on multitrophic farming of sea cucumbers and scallops, rather than other marine animals, allows us to differentiate ourselves from other aquaculture businesses. By doing this, we can establish and market our reputation as Portugal's pioneer. In our first years, we will produce fresh scallops and *bêche-de-mer* with a focus on the Asian and European markets, where the demand is high and growing. Our scientific and innovative approach, excellent product quality, and aquafarming certificates will enhance our positive brand reputation and credibility making us appealing to our target customers. Apart from our promising value proposition, we will establish strong customer relationships through our engaging commercial strategy.

Additionally, we mitigate financial and market risks through our diversified product portfolio and the sales of dietary supplements in the mid-term. This allows us to tap into a strongly growing market, exploiting its immersive potential. With our long-term franchise model, we aim to scale our impact and revenue even further. As a founder team, we have substantial experience in entrepreneurship and management, covering the business side of our startup. We have already developed significant relationships and ties with international professionals and scientists, which complement our business expertise. We will leverage this network, bringing some of them onto our team to add to our aquaculture expertise. Overall, AQUATA exhibits promising financial returns, making us an excellent investment opportunity to support the growing blue economy trend.

12 References

- Absolute Reports Pvt Ltd. 2022. 'Global Sea Cucumber Market USD 1436 Mn by 2028 | Business Overview, Growth Opportunities, Market Demands, Types, Applications, Industry Challenges, Key Players, Top Regions'. GlobeNewswire News Room. 23 June 2022. <https://www.globenewswire.com/news-release/2022/06/23/2467731/0/en/Global-Sea-Cucumber-Market-USD-1436-Mn-by-2028-Business-Overview-Growth-Opportunities-Market-Demands-Types-Applications-Industry-Challenges-Key-Players-Top-Regions.html>.
- Ahmad, Farooq, Khurram Mustafa, Syed Ali Raza Hamid, Kausar Fiaz Khawaja, Shagufta Zada, Saqib Jamil, Muhammad Nawaz Qaisar, Alejandro Vega-Muñoz, Nicolás Contreras-Barraza, and Naveed Anwer. 2022. 'Online Customer Experience Leads to Loyalty via Customer Engagement: Moderating Role of Value Co-Creation'. *Frontiers in Psychology* 13 (July): 897851. <https://doi.org/10.3389/fpsyg.2022.897851>.
- Altamarino, J.P., and I. Zaidnuddin. 2022. 'Aquatic Species Under International Concern'.
- Alvarez, Ricardo. 2022. 'Prepare for the Supply Chain Impact of Chinese New Year 2022'. 20 January 2022. <https://www.shiplilly.com/blog/prepare-for-the-supply-chain-impact-of-chinese-new-year-2022/>.
- Andrés, Pablo de, Gabriel de la Fuente, and Pilar Velasco. 2021. 'Exercising a Firm's Growth Options: A Portfolio Approach'. *Journal of Business Research* 132 (August): 571–85. <https://doi.org/10.1016/j.jbusres.2021.04.074>.
- Aquaculture Awards. 2022. 'Aquaculture Awards 2023'. Aquaculture Awards. 2022. <https://aquacultureawards.com/>.
- Araújo, Gonçalo. 2022. Scallop ResearchMicrosoft Teams.
- ASC. 2022. 'ASC - Aquaculture Stewardship Council'. Portugal. 2022. <https://portugal.controlunion.com/en/certification-programs/asc>.

- Azari, Dr. Beni. 2022. Sea Cucumber Consultancy Microsoft Teams.
- Backlinko. 2022. ‘SEO vs. SEM: What’s The Difference?’ Backlinko. 2022. <https://backlinko.com/hub/seo/seo-vs-sem>.
- Barboza, David. 2008. ‘Fishing Murky Waters: China’s Aquaculture Challenges Upstream and Downstream | Wilson Center’. 1 October 2008. <https://www.wilsoncenter.org/event/fishing-murky-waters-chinas-aquaculture-challenges-upstream-and-downstream>.
- BDC. 2022. ‘The 5 Most Common Pricing Strategies’. BDC.Ca. 2022. <https://www.bdc.ca/en/articles-tools/marketing-sales-export/marketing/pricing-5-common-strategies>.
- Beaumont, A.R., and Trygve Gjødrem. 2007. ‘Scallops - Pecten Maximus and P. Jacobaeus’. *Genetic Impact of Aquaculture Activities on Native Populations*, January.
- Bittel, Jason. 2018. ‘Watch: Sea Cucumbers Are The Ocean’s Vacuum Cleaners’. *Animals*. 29 August 2018. <https://www.nationalgeographic.com/animals/article/sea-cucumber-poop-climate-change-animals-news>.
- Bondaroff, Dr. Teale Phelps. 2019. ‘WHY SEA CUCUMBERS?’ OCEANS ASIA. 23 August 2019. <https://oceansasia.org/why-sea-cucumbers/>.
- Bordbar, Sara, Farooq Anwar, and Nazamid Saari. 2011. ‘High-Value Components and Bioactives from Sea Cucumbers for Functional Foods—A Review’. *Marine Drugs* 9 (10): 1761–1805. <https://doi.org/10.3390/md9101761>.
- Cadete, Bárbara. 2022. ‘Experts defend that Portugal should lead the International Ocean Conservation Agenda’. Text. CCMAR. 13 July 2022. <https://www.ccmар.ualg.pt/en/news/experts-defend-portugal-should-lead-international-ocean-conservation-agenda>.

- Cassidy, Emily S., Paul C. West, James S. Gerber, and Jonathan A. Foley. 2013. 'Redefining Agricultural Yields: From Tonnes to People Nourished per Hectare'. *Environmental Research Letters* 8 (3): 034015. <https://doi.org/10.1088/1748-9326/8/3/034015>.
- Cassidy, Maddie. 2019. 'What Is the Environmental Impact of Aquaculture?' Global Seafood Alliance. 22 April 2019. <https://www.globalseafood.org/blog/what-is-the-environmental-impact-of-aquaculture/>.
- CCMAR. 2017. 'Sea Cucumber as new Marine resource: potential for aquaculture (CUMARSUR).' Text. CCMAR. 30 January 2017. <https://www.ccmар.ualg.pt/project/sea-cucumber-new-marine-resource-potential-aquaculture-cumarsur>.
- CFSE. 2022. 'About CFSE 2022'. China Seafood Expo. 2022. <https://chinaseafoodexpo.com/about/>.
- Chain (CONTAM), EFSA Panel on Contaminants in the Food, Dieter Schrenk, Margherita Bignami, Laurent Bodin, Jesús del Mazo, Bettina Grasl-Kraupp, Christer Hogstrand, et al. 2021. 'Evaluation of the Shucking of Certain Species of Scallops Contaminated with Lipophilic Toxins with a View to the Production of Edible Parts Meeting the Safety Requirements Foreseen in the Union Legislation'. *EFSA Journal* 19 (3): e06422. <https://doi.org/10.2903/j.efsa.2021.6422>.
- Cheon, Jinwoo. 2021. 'What Are the Common Forms of Sea Cucumber in the Market?' Tridge. 20 October 2021. <https://www.tridge.com/market-guides/posts/what-are-the-common-forms-of-sea-cucumber-in-the-market>.
- Choo, Poh-Sze. 2008. 'Population Status, Fisheries and Trade of Sea Cucumbers in Asia'. *FAO Fisheries and Aquaculture Technical Paper* 516: 81–118.
- Clarke, Shelley. 2004. 'Understanding Pressures on Fishery Resources through Trade Statistics: A Pilot Study of Four Products in the Chinese Dried Seafood Market'. *Fish and Fisheries* 5 (1): 53–74. <https://doi.org/10.1111/j.1467-2960.2004.00137.x>.

- Collins, Ralf, Ari Libarikian, and Upasana Unni. 2020. 'Why Business Building Is Top of the Corporate Agenda | McKinsey'. Mckinsey. 10 December 2020. <https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/why-business-building-is-the-new-priority-for-growth>.
- Comité Départemental des Pêches. 2022. 'Ecloserie du Tinduff - CDPMEM 29 - [Comité Départemental des Pêches - Finistère]'. 2022. <https://www.comitedespeches-finistere.fr/nos-projets/ecloserie-du-tinduff>.
- Conand, C. 1988. 'Les Holothuries Aspidochirotes Du Lagon de Nouvelle-Calédonie : Biologie, Écologie et Exploitation.' *Université de Bretagne Occidentale*, 388.
- Cordis European Commission. 2019. 'New Species, Processes and Products Contributing to Increased Production and Improved Sustainability in Emerging Low Trophic, and Existing Low and High Trophic Aquaculture Value Chains in the Atlantic | AquaVitae Project | Fact Sheet | H2020 | CORDIS | European Commission'. Cordis European Commission. 1 June 2019. <https://cordis.europa.eu/project/id/818173>.
- Correia, Marta, Isabel Costa Azevedo, Helena Peres, Rui Magalhães, Aires Oliva-Teles, Cristina Marisa Ribeiro Almeida, and Laura Guimarães. 2020. 'Integrated Multi-Trophic Aquaculture: A Laboratory and Hands-on Experimental Activity to Promote Environmental Sustainability Awareness and Value of Aquaculture Products'. *Frontiers in Marine Science* 7 (March): 156. <https://doi.org/10.3389/fmars.2020.00156>.
- Cortés, Antonio, Sara González-García, Amaya Franco-Uría, Maria Teresa Moreira, and Gumersindo Feijoo. 2021. 'Evaluation of the Environmental Sustainability of the Inshore Great Scallop (*Pecten Maximus*) Fishery in Galicia'. *Journal of Industrial Ecology* n/a (n/a). <https://doi.org/10.1111/jiec.13153>.
- Cruz, Andreia. 2022. About Oceano Fresco Microsoft Teams & Personal Communication.
- Da Costa, Fiz. 2022. Scallop Research.

- De Carvalho-Souza, Gustavo F., David Roque-Atienza, and Enrique González-Ortegón. 2022. 'Sea Cucumber (*Holothuria Arguinensis*) as a Shelter for Juvenile Fish (*Diplodus Bellottii*) in the Gulf of Cadiz (Southwestern Spain)'. *Diversity* 14 (10): 872. <https://doi.org/10.3390/d14100872>.
- Dealroom. 2022. 'Impact Startups and Venture Capital - Q1 2022'. April. <https://dealroom.co/uploaded/2022/04/Dealroom-Impact-Q1-2022.pdf>.
- Delroisse, Jérôme, Kévin Van Wayneberghe, Patrick Flammang, David Gillan, Pascal Gerbaux, Noel Opina, Gildas Georges Boleslas Todinanahary, and Igor Eeckhaut. 2020. 'Epidemiology of a SKin Ulceration Disease (SKUD) in the Sea Cucumber *Holothuria Scabra* with a Review on the SKUDs in *Holothuroidea* (Echinodermata)'. *Scientific Reports* 10 (December): 22150. <https://doi.org/10.1038/s41598-020-78876-0>.
- DGRM. 2022. 'Legislation - DGRM'. 2022. <https://www.dgrm.mm.gov.pt/legislacao-aplicavel>.
- Digital Marketing Institute. 2019. 'SEO vs SEM: How Do They Work Together'. Digital Marketing Institute. 11 February 2019. <https://digitalmarketinginstitute.com/blog/how-do-seo-and-sem-work-together-in-2018>.
- Domingues, Rita. 2021. 'News Media Coverage And Public Reactions To A Red Tide At The Algarve Coast (Southern Portugal)'. *Journal of Tourism, Sustainability and Well-Being* 9 (3): 176–88.
- Domínguez-Godino, Jorge A., Matthew J. Slater, Colin Hannon, and Mercedes González-Wangüermert. 2015. 'A New Species for Sea Cucumber Ranching and Aquaculture: Breeding and Rearing of *Holothuria Arguinensis*'. *Aquaculture* 438 (March): 122–28. <https://doi.org/10.1016/j.aquaculture.2015.01.004>.
- Domínguez-Godino, Jorge Antonio, and Mercedes González-Wangüemert. 2019. 'Holothuria Arguinensis: As New Sea Cucumber Species for Aquaculture', March.

- Eit Food. 2021. 'Can Sustainable Aquaculture Help to Achieve the UN SDGs? - EIT Food'. 17 August 2021. <https://www.eitfood.eu/blog/can-sustainable-aquaculture-help-to-achieve-the-un-sdgs>.
- ePortugal. 2022. 'Aquicultura - EPortugal.Gov.Pt'. EPortugal, the Central Portal for Public Administration Services. 2022. <https://eportugal.gov.pt/en/fichas-de-enquadramento/aquicultura>.
- EUMOFA. 2018. *Blue Bio-Economy: Situation Report and Perspectives*. LU: European Commission. Directorate General for Maritime Affairs and Fisheries. <https://data.europa.eu/doi/10.2771/053734>.
- . 2022. 'Species Profile King Scallop'. European Commission. 2022.
- Europages. 2022. 'Distributor Scallops - Europages'. Europages. 2022. <https://www.europages.co.uk/companies/distributor/scallops.html>.
- European Commission. 2021. 'COMMUNICATION FROM THE COMMISSION TO THE EUROPEAN PARLIAMENT, THE COUNCIL, THE EUROPEAN ECONOMIC AND SOCIAL COMMITTEE AND THE COMMITTEE OF THE REGIONS Strategic Guidelines for a More Sustainable and Competitive EU Aquaculture for the Period 2021 to 2030'. Brussels: European Commission. <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=COM:2021:236:FIN>.
- . 2022a. 'Organic Production and Products'. European Commission. 2022. https://agriculture.ec.europa.eu/farming/organic-farming/organic-production-and-products_en.
- . 2022b. 'Pecten Maximus'. European Commission. 2022. https://fish-commercial-names.ec.europa.eu/fish-names/species_en?sn=27684.
- FACT.MR. 2022. 'Rising Demand for Protein Rich Diets to Boost the Molluscs Market Growth at 5% CAGR: Fact.MR Study'. GlobeNewswire News Room. 28 June 2022. <https://www.globenewswire.com/en/news-release/2022/06/28/2469959/0/en/Rising->

- Demand-for-Protein-Rich-Diets-to-Boost-the-Molluscs-Market-Growth-at-5-CAGR-Fact-MR-Study.html.
- FAO. 2020. *The State of World Fisheries and Aquaculture 2020*. Rome: FAO. <https://doi.org/10.4060/ca9229en>.
- . 2021. ‘Restaurant Demand Leads to Sky High Prices in Europe | GLOBEFISH | Food and Agriculture Organization of the United Nations’. Food and Agriculture Organization of the United Nations. 16 December 2021. <https://www.fao.org/in-action/globefish/market-reports/resource-detail/en/c/1460125/>.
- . 2022a. ‘Strategic Guidelines for the Sustainable Development of EU Aquaculture. | FAOLEX’. Food and Agriculture Organization of the United Nations. 2022. <https://www.fao.org/faolex/results/details/en/c/LEX-FAOC206188/>.
- . 2022b. *The State of World Fisheries and Aquaculture 2022*. Rome: FAO. <https://doi.org/10.4060/cc0461en>.
- Ferdouse, F., FIR, Workshop on Advances in Sea Cucumber Aquaculture, and Dalian Management. 2004. ‘World Markets and Trade Flows of Sea Cucumber/Beche-de-Mer’. FAO. https://scholar.google.com/scholar_lookup?title=World+markets+and+trade+flows+of+sea+cucumber%2Fbeche-de-mer&author=Ferdouse%2C+F.&publication_year=2004.
- Fernandes, Catarina Pereira. 2017. ‘The Consumption of Seafood in Portugal - Preferences, Knowledge and Public Perception’.
- Fredriksson, Oliver. 2021. ‘Farming The Food Chain | Low Trophic Aquaculture’. 3 September 2021. <https://www.foodunfolded.com/article/low-trophic-aquaculture>.
- Frost, Aja. 2022. ‘Key Account Management: The Ultimate Guide’. 18 August 2022. <https://blog.hubspot.com/sales/key-account-management>.

- Gallardi, Daria. 2014. 'Effects of Bivalve Aquaculture on the Environment and Their Possible Mitigation: A Review'. *Fisheries and Aquaculture Journal* 05 (03).
<https://doi.org/10.4172/2150-3508.1000105>.
- Geneva Environment Network. 2022. 'Earth Overshoot Day'. 28 July 2022.
<https://www.genevaenvironmentnetwork.org/resources/updates/earth-overshoot-day/>.
- Giraspy, Dr. Beni, and Dr. Grisilda Ivy Walsalam. 2009. 'Tropical Sea Cucumber Culture - Responsible Seafood Advocate'. Global Seafood Alliance. 1 July 2009.
<https://www.globalseafood.org/advocate/tropical-sea-cucumber-culture/>.
- Global Seafood Alliance. 2022. 'Global Aquaculture Innovation Award'. Global Seafood Alliance. 2022. <https://www.globalseafood.org/goal/innovation-award/>.
- Gonçalves, Ana Marta. 2022. 'Aquaculture Food Production in Portugal'. Scholarly Community Encyclopedia. 18 March 2022. <https://encyclopedia.pub/entry/20693>.
- González-Wangüemert, Mercedes, Sara Valente, and Mehmet Aydın. 2015. 'Effects of Fishery Protection on Biometry and Genetic Structure of Two Target Sea Cucumber Species from the Mediterranean Sea'. *Hydrobiologia* 743 (1): 65–74. <https://doi.org/10.1007/s10750-014-2006-2>.
- Government of Canada, Fisheries and Oceans Canada. 2021. 'Apicomplexa Parasite in Adductor Muscle of Scallops'. 2021. <https://www.dfo-mpo.gc.ca/science/aah-saa/diseases-maladies/apicomplexasc-eng.html>.
- Gradner Pinfold Consulting Economists Limited. 2001. 'Development Potential of the Maine Scallop Industry'.
- Grand View Research. 2020. 'Molluscs Market Size & Share Report, 2022 - 2028'. Grand View Research. 2020. <https://www.grandviewresearch.com/industry-analysis/molluscs-market-report>.
- Gupta, Anuj Kumar, and U. D. Gupta. 2014. 'Chapter 19 - Next Generation Sequencing and Its Applications'. In *Animal Biotechnology*, edited by Ashish S. Verma and Anchal Singh,

- 345–67. San Diego: Academic Press. <https://doi.org/10.1016/B978-0-12-416002-6.00019-5>.
- Hardy, D. 2006. *Scallop Farming*. Oxford: Blackwell Publishing. <https://www.cabdirect.org/cabdirect/abstract/20063198760>.
- He, Beibei, Tiantian Li, Wei Wang, Hang Gao, Yu Bai, Shuai Zhang, Jianjun Zang, Defa Li, and Junjun Wang. 2019. ‘Metabolic Characteristics and Nutrient Utilization in High-Feed-Efficiency Pigs Selected Using Different Feed Conversion Ratio Models’. *Science China Life Sciences* 62 (7): 959–70. <https://doi.org/10.1007/s11427-018-9372-6>.
- Helm, Michael M., and Neil Bourne. 2004. *The Hatchery Culture of Bivalves: A Practical Manual*. FAO. <https://www.fao.org/3/y5720e/y5720e00.htm#Contents>.
- Hering, Valentin. 2022. Senior Growth Marketing Consultant - EntityX.
- Hilborn, Ray. 2019. ‘The Environmental Impact of Food & Seafood - Sustainable Fisheries UW’. 27 April 2019. <https://sustainablefisheries-uw.org/seafood-101/cost-of-food/>.
- Hofstede, Geert. 2022. ‘Compare countries’. *Hofstede Insights* (blog). 2022. <https://www.hofstede-insights.com/fi/product/compare-countries/>.
- Holmyard, Nicki. 2021. ‘A Fresh Focus on Sea Cucumbers – Nature’s Recyclers - Responsible Seafood Advocate’. Global Seafood Alliance. 17 May 2021. <https://www.globalseafood.org/advocate/a-fresh-focus-on-sea-cucumbers-natures-recyclers/>.
- Hou, Haochen, Shuai Shao, Yun Zhang, Hong Kang, Chenglu Qin, Xiaoyang Sun, and Shushen Zhang. 2019. ‘Life Cycle Assessment of Sea Cucumber Production: A Case Study, China’. *Journal of Cleaner Production* 213 (March): 158–64. <https://doi.org/10.1016/j.jclepro.2018.12.141>.
- Howarth, Leigh Michael, and Bryce Donald Stewart. 2014. ‘The Dredge Fishery for Scallops in the United Kingdom (UK): Effects on Marine Ecosystems and Proposals for Future Management’. *Marine Ecosystem Management Report*, 55.

- Howell, Megan. 2022. 'We Might Be Having the Wrong Conversation about Tech and Aquaculture'. The Fish Site. 6 May 2022. <https://thefishsite.com/articles/we-might-be-having-the-wrong-conversation-about-tech-and-aquaculture-world-ocean-summit>.
- Hughes, Parker. 2021. '🐟 The Rise of Aquaculture and the Threat of Floating Feedlots'. The Regeneration. 25 June 2021. <https://weekly.regeneration.works/p/industrial-aquaculture>.
- IMPAQT. 2022. 'Policy and Regulation – IMPAQT'. 2022. <https://impaqtproject.eu/our-results/policy/>.
- Indeed Editorial Team. 2021. 'Valuation Multiples: Approaches and Methods To Use'. Indeed Career Guide. 25 May 2021. <https://www.indeed.com/career-advice/career-development/multiples-in-valuation>.
- Jones, Kristopher. 2021. 'Council Post: The Importance Of Branding In Business'. Forbes. 24 March 2021. <https://www.forbes.com/sites/forbesagencycouncil/2021/03/24/the-importance-of-branding-in-business/>.
- Jorge Antonio, Dominguez-Godino, Aydin Mehmet, and Wangüemert Mercedes. 2016. 'Profitability of the New Target Sea Cucumber Species from Mediterranean and NE Atlantic: *Holothuria Polii*, *H. Mammata*, *H. Tubulosa* and *H. Arguinensis*'. *Frontiers in Marine Science* 3. <https://doi.org/10.3389/conf.FMARS.2016.04.00024>.
- Kennedy, Jennifer. 2020. 'Surprising Scallop Facts'. ThoughtCo. 28 January 2020. <https://www.thoughtco.com/facts-about-scallops-2291857>.
- Khanh, Ly Van, Nguyen Thi Ngoc Anh, and Tran Dac Dinh. 2020. 'Survey on the Current Status of Small-Scale Artisanal Sea Cucumber Fishing in Kien Giang Province, Vietnam'. *Journal of Shellfish Research* 39 (3): 723–30. <https://doi.org/10.2983/035.039.0318>.
- Kourous, George. 2009. 'FAO - News Article: The Trouble with Sea Cucumbers'. Food and Agriculture Organization of the United Nations. 1 April 2009. <https://www.fao.org/news/story/en/item/11225/icode/>.

- Krause, Gesche, Lewis Le Vay, Bela H. Buck, Barry Antonio Costa-Pierce, Tobias Dewhurst, Kevin G. Heasman, Nancy Nevejan, et al. 2022. 'Prospects of Low Trophic Marine Aquaculture Contributing to Food Security in a Net Zero-Carbon World'. *Frontiers in Sustainable Food Systems* 6. <https://www.frontiersin.org/articles/10.3389/fsufs.2022.875509>.
- Kubala, Jillian. 2020. 'The Benefits of Eating Sea Cucumber'. Healthline. 25 February 2020. <https://www.healthline.com/nutrition/sea-cucumber>.
- Laing, Ian. 2000. 'Effect of Temperature and Ration on Growth and Condition of King Scallop (*Pecten Maximus*) Spat'. *Aquaculture* 183 (3): 325–34. [https://doi.org/10.1016/S0044-8486\(99\)00262-8](https://doi.org/10.1016/S0044-8486(99)00262-8).
- Lambert, C., J. L. Nicolas, V. Cilia, and S.YR 1998 Corre. 1998. 'Vibrio Pectenica Sp. Nov., a Pathogen of Scallop (*Pecten Maximus*) Larvae'. *International Journal of Systematic and Evolutionary Microbiology* 48 (2): 481–87. <https://doi.org/10.1099/00207713-48-2-481>.
- Laurenti, G. 2010. 1967 - 2007 FISH AND FISHERY PRODUCTS WORLD APPARENT CONSUMPTION STATISTICS BASED ON FOOD BALANCE SHEETS. Vol. FAO Yearbook: Fishery and Aquaculture Statistics. 2008. Rome.
- Le Berthe, Tegwen. 2018. 'Feeding a Growing Population Sustainably: A Global Challenge - Trendsformative'. *Trendsformative* (blog). 25 June 2018. <https://trendsformative.com/feeding-a-growing-population-sustainably-a-global-challenge/>.
- Le, Tien. 2020. '7 Top Digital Farming Innovations Impacting Aquaculture'. 7 Top Digital Farming Innovations Impacting Aquaculture | Alltech. 27 October 2020. <https://www.alltech.com/blog/7-top-digital-farming-innovations-impacting-aquaculture>.

- LeBlanc, Linda A., and Melissa R. Nosik. 2019. 'Planning and Leading Effective Meetings'. *Behavior Analysis in Practice* 12 (3): 696–708. <https://doi.org/10.1007/s40617-019-00330-z>.
- Leigh, Henry. 2022. 'What Is Bycatch? Understanding and Preventing Fishing Bycatch'. World Wildlife Fund. 2022. <https://www.worldwildlife.org/threats/bycatch>.
- Lexparency. 2022. 'Directive 79/923/EEC'. 2022. <https://lexparency.org/eu/31979L0923/>.
- Liu, Hongzhan, Fengrong Zheng, Xiuqin Sun, Xuguang Hong, Shuanglin Dong, Bo Wang, Xuexi Tang, and Yongqiang Wang. 2010. 'Identification of the Pathogens Associated with Skin Ulceration and Peristome Tumescence in Cultured Sea Cucumbers *Apostichopus Japonicus* (Selenka)'. *Journal of Invertebrate Pathology* 105 (3): 236–42. <https://doi.org/10.1016/j.jip.2010.05.016>.
- Louw, Simone, and Markus Bürgener. 2022. 'SEA CUCUMBER TRADE FROM AFRICA TO ASIA'. *TRAFFIC International, Cambridge, United Kingdom*, September.
- Lovatelli, A., C. Conand, S. Purcell, S. Uthicke, J.-F. Hamel, and A. Mericer. 2004. 'Advances in Sea Cucumber Aquaculture and Management'. In *FAO Fisheries Technical Paper (FAO) Eng No. 463*. FAO. <http://www.fao.org/3/a-y5501e.pdf>.
- Lovell, Rachel. 2022. 'The Simple Food That Fights Climate Change'. 2022. <https://www.bbc.com/future/bespoke/follow-the-food/the-simple-shellfish-that-fights-climate-change.html>.
- Magnesen, Thorolf. 2022. Scallop ResearchMicrosoft Teams.
- Maguire, Julie A, and Gavin M Burnell. 2001. 'The Effect of Stocking Density in Suspended Culture on Growth and Carbohydrate Content of the Adductor Muscle in Two Populations of the Scallop (*Pecten Maximus* L.) in Bantry Bay, Ireland'. *Aquaculture* 198 (1): 95–108. [https://doi.org/10.1016/S0044-8486\(00\)00591-3](https://doi.org/10.1016/S0044-8486(00)00591-3).

- Maritime Fairtrade. 2022. ‘Strong Demand from Asia Put Tropical Sea Cucumbers in Trouble’. *Maritime Fairtrade* (blog). 17 March 2022. <https://maritimefairtrade.org/strong-demand-from-asia-put-tropical-sea-cucumbers-in-trouble/>.
- Marques, Ricardo. 2022. Oceano Fresco.
- Marquet, Nathalie, Chantal Conand, Deborah M. Power, Adelino V.M. Canário, and Mercedes González-Wangüemert. 2017. ‘Sea Cucumbers, *Holothuria Arguinensis* and *H. Mammata*, from the Southern Iberian Peninsula: Variation in Reproductive Activity between Populations from Different Habitats’. *Fisheries Research* 191 (July): 120–30. <https://doi.org/10.1016/j.fishres.2017.03.007>.
- Marshall, Charlotte, and Emily Wilson. 2008. ‘Great Scallop (*Pecten Maximus*): Marine Evidence–Based Sensitivity Assessment (MarESA) Review’. *Marine Biological Association of the United Kingdom*, April. <https://doi.org/10.17031/MARLINS.1398.1>.
- Matejko, Sonya. 2022. ‘Marketing Awards Guidebook: Why It Matters, What To Enter And How To Win’. *Forbes*. 9 February 2022. <https://www.forbes.com/sites/forbescontentmarketing/2022/02/09/marketing-awards-guidebook-why-it-matters-what-to-enter-and-how-to-win/>.
- McCurry, Seth. 2019. ‘Why Ocean Cleaning Sea Cucumber Is Worth Protecting’. Australia & New Zealand - English. 10 December 2019. <https://www.msc.org/en-au/media-centre-anz/news-views/news/2019/12/10/why-ocean-cleaning-sea-cucumber-is-worth-protecting>.
- McKenna, Josephine. 2021. ‘FAO - News Article: Fisheries and Aquaculture Are a Critical Part of Global Agri-Food Systems Transformation, Says FAO Director-General’. Food and Agriculture Organization of the United Nations. 1 February 2021. <https://www.fao.org/news/story/en/item/1371547/icode/>.

- McWhirter, Maryanne. 2021. 'Push Pull Theory: The Basis of All Good Marketing'. Hubbard Chicago. 20 July 2021. <https://hubbardchicago.com/push-pull-theory-the-basis-of-all-good-marketing/>.
- Mercedes, Fernandez. 2022. 'Low Trophic Aquaculture on the Spotlight in New EU-Funded Project | News | CORDIS | European Commission'. Cordis European Commission. 23 September 2022. <https://cordis.europa.eu/article/id/125350-low-trophic-aquaculture-on-the-spotlight-in-new-eufunded-project/es>.
- Mercedes, González-Wangüemert, and Godino Jorge Antonio. 2016. 'Sea Cucumbers as New Marine Resource in Europe'. *Frontiers in Marine Science* 3. <https://doi.org/10.3389/conf.FMARS.2016.04.00112>.
- MSC. 2022. 'Guide to Eating Sustainable Sea Cucumber'. Marine Stewardship Council. 2022. <https://www.msc.org/en-au/what-you-can-do/eat-sustainable-seafood/sustainable-seafood-guide/is-sea-cucumber-sustainable>.
- MSG. 2022. 'Sea Cucumber - H. Tubulosa | MSG, MEDITERRANEAN SEA GROWN'. Mediterranean Sea Grown. 2022. https://msgseafood.com/Holothuria_Tubulosa.
- NÂM. 2022. 'Nâm Mushroom | Cogumelos Ostra | Mushroom Farm'. NÂM mushroom. 2022. <https://nammushroom.com/en>.
- National Geographic. 2010. 'Sea Cucumbers | National Geographic'. Animals. 9 October 2010. <https://www.nationalgeographic.com/animals/invertebrates/facts/sea-cucumbers>.
- National Wildlife Federation. 2022. 'Sea Cucumbers'. National Wildlife Federation. 2022. <https://www.nwf.org/Home/Educational-Resources/Wildlife-Guide/Invertebrates/Sea-Cucumbers>.
- Naylor, Rosamond L., Ronald W. Hardy, Alejandro H. Buschmann, Simon R. Bush, Ling Cao, Dane H. Klinger, David C. Little, Jane Lubchenco, Sandra E. Shumway, and Max Troell. 2021. 'A 20-Year Retrospective Review of Global Aquaculture'. *Nature* 591 (7851): 551–63. <https://doi.org/10.1038/s41586-021-03308-6>.

- NEF. 2016. 'Fish Dependence – 2016 Update The Reliance of the EU on Fish from Elsewhere'. New Economics Foundation. <https://ent.cat/wp-content/uploads/2016/05/Fish-Dependence-2016.pdf>.
- Neori, Amir, Thierry Chopin, Max Troell, Alejandro Buschmann, George Kraemer, Christina Halling, Muki Shpigel, and Charles Yarish. 2004. 'Integrated Aquaculture: Rationale, Evolution and State of the Art Emphasizing Seaweed Biofiltration in Modern Mariculture'. *Aquaculture* 231 (March): 361–91. <https://doi.org/10.1016/j.aquaculture.2003.11.015>.
- Nguyen, Hung V., Bakari A. Mariamu, and Hung Q. Pham. 2021. 'Induced Spawning and Larval Rearing of the Sea Cucumber *Holothuria Nobilis*'. *Israeli Journal of Aquaculture - Bamidgeh* 73 (September): 16. <https://doi.org/10.46989/001c.28235>.
- NOAA. 2021. 'Understanding Marine Aquaculture | NOAA Fisheries'. NOAA. National. 13 August 2021. <https://www.fisheries.noaa.gov/insight/understanding-marine-aquaculture>.
- Nova Sea Atlantic. 2022. 'Health Benefits of Sea Cucumber Supplements'. Nova Sea Atlantic. 1 February 2022. <https://www.novaseaatlantic.com/blog/health-benefits-of-sea-cucumber-supplements>.
- NSF. 2022. 'Aquaculture Stewardship Council (ASC) Certification'. NSF. 2022. <https://www.nsf.org/testing/food/food-safety-audits-certifications/seafood-certifications/aquaculture-stewardship-council-certification>.
- Nutreco. 2022. 'Breakthrough Innovation with Nufrontiers - Nutreco Corporate'. NuFrontiers. Nutreco. 2022. <https://www.nutreco.com/en/innovation-and-investments/breakthrough-innovation/>.
- Nyagadza, Brighton, Ernest M. Kadembo, and Africa Makasi. 2020. 'Corporate Storytelling for Branding: Underpropping or Thwarting Internal Stakeholders' Optimistic Corporate

- Brand Perceptions?’ Edited by Guangchao Charles Feng. *Cogent Social Sciences* 6 (1): 1845926. <https://doi.org/10.1080/23311886.2020.1845926>.
- Oceano Fresco. 2022. ‘About Us’. *Oceano Fresco* (blog). 2022. <https://oceano-fresco.pt/en/about-us/>.
- OOOF. 2022. ‘Over Fishing’. OOOF Foundation. 2022. <https://www.ooof.foundation/over-fishing/>.
- Oreskes, Naomi. 2022. ‘Eating Less Red Meat Is Something Individuals Can Do to Help the Climate Crisis’. *Scientific American*. 1 January 2022. <https://doi.org/10.1038/scientificamerican0122-78>.
- Orlich, Michael J., Pramil N. Singh, Joan Sabaté, Karen Jaceldo-Siegl, Jing Fan, Synnove Knutsen, W. Lawrence Beeson, and Gary E. Fraser. 2013. ‘Vegetarian Dietary Patterns and Mortality in Adventist Health Study 2’. *JAMA Internal Medicine* 173 (13): 1230–38. <https://doi.org/10.1001/jamainternmed.2013.6473>.
- O’Shea, Trip, Robert Jonas, Tiffany Waters, Seth Theuerkauf, Jason Scott, Alex Markham, and Erik Norell. 2019. ‘Towards a Blue Revolution: Catalyzing Private Investment in Sustainable Aquaculture Production Systems’. Arlington, Virginia, USA: The Nature Conservancy and Encourage Capital.
- Paalanen, Jaakko. 2020. ‘Leadfeeder | How to Turn Your Website into a B2B Lead Generation Machine’. 10 December 2020. <https://www.leadfeeder.com/blog/convert-website-visitors/>.
- Pangestuti, Ratih, and Zainal Arifin. 2017. ‘Medicinal and Health Benefit Effects of Functional Sea Cucumbers’. *Journal of Traditional and Complementary Medicine* 8 (3): 341–51. <https://doi.org/10.1016/j.jtcme.2017.06.007>.
- Papa, Loredana, Ermelinda Prato, Francesca Biandolino, Isabella Parlapiano, and Giovanni Fanelli. 2021. ‘Strategies for Successful Scallops Spat Collection on Artificial Collectors

- in the Taranto Gulf (Mediterranean Sea)'. *Water* 13 (4): 462.
<https://doi.org/10.3390/w13040462>.
- Pascal, Benjamin, and Georgina Robinson. 2011. *Handbook for Sandfish Farming*. ReCoMap, Indian Ocean Commission.
- Perez, Maripaz L, and Ernesto O Brown. 2012. 'Market Potential and Challenges for Expanding the Production of Sea Cucumber in South-East Asia', January.
- Pieniak, Zuzanna, Filiep Vanhonacker, and Wim Verbeke. 2013. 'Consumer Knowledge and Use of Information about Fish and Aquaculture'. *Food Policy* 40 (June): 25–30.
<https://doi.org/10.1016/j.foodpol.2013.01.005>.
- Pingali, Prabhu L. 2012. 'Green Revolution: Impacts, Limits, and the Path Ahead'. *Proceedings of the National Academy of Sciences* 109 (31): 12302–8.
<https://doi.org/10.1073/pnas.0912953109>.
- Precedence Research. 2022. 'Nutritional Supplements Market Size, Trends, Growth 2022-2030'. 2022. <https://www.precedenceresearch.com/nutritional-supplements-market>.
- Projecto - Sea Cucumber. 2022. 'Projecto - Sea Cucumber | Sea Cucumber'. 2022.
<https://seacucumber.eu/projecto>.
- Purcell, Steven. 2014. 'Value, Market Preferences and Trade of Beche-De-Mer from Pacific Island Sea Cucumbers'. *PloS One* 9 (April): e95075.
<https://doi.org/10.1371/journal.pone.0095075>.
- Purcell, Steven, Chantal Conand, Sven Uthicke, and Maria Byrne. 2016. 'Ecological Roles of Exploited Sea Cucumbers'. *Oceanography and Marine Biology* 54 (December): 367–86.
<https://doi.org/10.1201/9781315368597-8>.
- Purcell, Steven W, Annie Mercier, Chantal Conand, Jean-François Hamel, M Verónica Toral-Granda, Alessandro Lovatelli, and Sven Uthicke. 2013. 'Sea Cucumber Fisheries: Global Analysis of Stocks, Management Measures and Drivers of Overfishing'. *Fish and Fisheries* 14 (1): 34–59. <https://doi.org/10.1111/j.1467-2979.2011.00443.x>.

- Qualtrics. 2022. ‘What Is Brand Trust & Why Is It So Important?’ Qualtrics. 2022. <https://www.qualtrics.com/uk/experience-management/brand/brand-trust/>.
- Rahman, M. Aminur, and Fatimah Md. Yusoff. 2017. ‘Sea Cucumber Fisheries: Market Potential, Trade, Utilization and Challenges for Expanding the Production in the South-East Asia’. *International Journal of Advances in Chemical Engineering and Biological Sciences* 4 (1). <https://doi.org/10.15242/IJACEBS.ER0117033>.
- Rashdi, Al, Khalfan Al Rashdi, Igor Eeckhaut, Michel Claereboudt, and Forew Ord. 2012. *A Manual on Hatchery of Sea Cucumber Holothuria Scabra in the Sultanate of Oman*.
- Redacción. 2022. ‘Portuguese Government Supports the Aquaculture and Fish Industry Green Transition with More than 12 Million Euros – Aquaculture Magazine’. 15 January 2022. <https://aquaculturemag.com/2022/01/15/portuguese-government-supports-the-aquaculture-and-fish-industry-green-transition-with-more-than-12-million-euros/>.
- Reis, Frederico. 2022. Oceano Fresco.
- Robinson, Shawn M. C., G. Jay Parsons, Leslie-Anne Davidson, Sandra E. Shumway, and Norman J. Blake. 2016. ‘Chapter 18 - Scallop Aquaculture and Fisheries in Eastern North America’. In *Developments in Aquaculture and Fisheries Science*, edited by Sandra E. Shumway and G. Jay Parsons, 40:737–79. *Scallops*. Elsevier. <https://doi.org/10.1016/B978-0-444-62710-0.00017-1>.
- Rocha, Carolina P., Henrique N. Cabral, João C. Marques, and Ana M. M. Gonçalves. 2022. ‘A Global Overview of Aquaculture Food Production with a Focus on the Activity’s Development in Transitional Systems—The Case Study of a South European Country (Portugal)’. *Journal of Marine Science and Engineering* 10 (3): 417. <https://doi.org/10.3390/jmse10030417>.
- Roser, Max, Hannah Ritchie, Esteban Ortiz-Ospina, and Lucas Rodés-Guirao. 2013. ‘World Population Growth’. *Our World in Data*, May. <https://ourworldindata.org/world-population-growth>.

- Scottish Marine Institute. 2015. 'Algarve Coast Case Study'. *Aquaspace* (blog). 2015. http://www.aquaspace-h2020.eu/?page_id=12735.
- Seafood Expo. 2022. 'Seafood Expo Global'. Seafood Expo Global. 2022. <https://www.seafoodexpo.com/global/>.
- Seafood Expo Asia. 2022. 'Seafood Expo Asia'. Seafood Expo Asia. 2022. <https://www.seafoodexpo.com/asia/>.
- Sennott, Will. 2021. 'Scallop Harvest in Decline, Reflecting Drop in Population'. The New Bedford Light. 11 October 2021. <http://newbedfordlight.org/scallop-harvest-in-decline-reflecting-drop-in-population/>.
- SGS. 2022. 'Best Aquaculture Practices'. 2022. <https://www.sgs.pt/en/sustainability/facilities-and-production/product-and-packaging/best-aquaculture-practice>.
- Shahbandeh, M. 2022. 'Health and Wellness Food: Forecasted Market Value Worldwide, 2026'. Statista. 27 July 2022. <https://www.statista.com/statistics/502267/global-health-and-wellness-food-market-value/>.
- Simpson, Jon. 2019. 'Council Post: Why Content Consistency Is Key To Your Marketing Strategy'. Forbes. 11 February 2019. <https://www.forbes.com/sites/forbesagencycouncil/2019/02/11/why-content-consistency-is-key-to-your-marketing-strategy/>.
- Soares, Sílvia M. C., Lynda Blackadder, Hannah E. B. Stagg, Eann S. Munro, and Anne McLay. 2021. 'The Presence of Apicomplexan Parasites in King Scallops (*Pecten Maximus*) in Scottish Waters'. *Journal of Invertebrate Pathology* 178 (January): 107508. <https://doi.org/10.1016/j.jip.2020.107508>.
- Strand, Øivind, Angeles Louro, and Peter Duncan. 2016. 'European Aquaculture'. In *Developments in Aquaculture and Fisheries Science*, 40:859–90. <https://doi.org/10.1016/B978-0-444-62710-0.00020-1>.

- Technavio. 2022. 'Bivalvia Market Size to Increase by USD 15.36 Billion from 2021 to 2026| Technavio'. 23 May 2022. <https://www.prnewswire.com/news-releases/bivalvia-market-size-to-increase-by-usd-15-36-billion-from-2021-to-2026-technavio-301552035.html>.
- Tetrapak. 2021. 'The Rewired Consumer. How Today's Shoppers Are Evaluating Their Priorities and Actions towards Food, Health and the Environment.' Tetra Pak Index. Tetrapak. <https://www.tetrapak.com/en-gb/insights/tetra-pak-index/tetra-pak-index2021>.
- The Economic Times. 2022. 'What Is Perceived Value Pricing? Definition of Perceived Value Pricing, Perceived Value Pricing Meaning'. The Economic Times. 2022. <https://economictimes.indiatimes.com/definition/perceived-value-pricing>.
- The Fish Site. 2019. 'High Hopes for Low Trophic Aquaculture'. The Fish Site. 8 October 2019. <https://thefishsite.com/articles/high-hopes-for-low-trophic-aquaculture>.
- The Fish Society. 2022. 'Wild British Half Shell King Scallops'. The Fish Society. 2022. <https://www.thefishsociety.co.uk/wild-british-half-shell-king-scallops.html>.
- Toral-Granda, Verónica, Alessandro Lovatelli, Marcelo Vasconcellos, and Food and Agriculture Organization of the United Nations, eds. 2008. *Sea Cucumbers: A Global Review of Fisheries and Trade*. FAO Fisheries and Aquaculture Technical Paper 516. Rome: Food and Agriculture Organization of the United Nations.
- Tridge. 2022a. 'Hong Kong Sea Cucumber Market Overview 2022 - Tridge'. Tridge. 2022. <https://www.tridge.com/intelligences/sea-cucumber/HK>.
- . 2022b. 'Scallop Global Wholesale Market Price Today'. Tridge. 2022. <https://www.tridge.com/intelligences/scallop/price>.
- Trites, A.W. 2001. 'Marine Mammal Trophic Levels and Interactions'. In *Encyclopedia of Ocean Sciences*, 1628–33. Elsevier. <https://doi.org/10.1006/rwos.2001.0441>.
- United Nations. 2020. 'Goal 2 | End Hunger, Achieve Food Security and Improved Nutrition and Promote Sustainable Agriculture'. 2020. <https://sdgs.un.org/goals/goal2>.

- University of Maine. 2022. 'Integrated Multi-Trophic Aquaculture - Center for Cooperative Aquaculture Research - University of Maine'. *Center for Cooperative Aquaculture Research* (blog). 2022. <https://umaine.edu/cooperative-aquaculture/integrated-multi-trophic-aquaculture/>.
- Vanhonacker, Filiep, Zuzanna Pieniak, and Wim Verbeke. 2012. 'European Consumer Image of Farmed Fish, Wild Fish, Seabass and Seabream'. *Aquaculture International* 21 (5): 1017–33. <https://doi.org/10.1007/s10499-012-9609-2>.
- Veale, LO, A.S Hill, and Andrew Brand. 2001. 'An in Situ Study of Predator Aggregations on Scallop (*Pecten Maximus* (L.)) Dredge Discards Using a Static Time-Lapse Camera System'. *Journal of Experimental Marine Biology and Ecology* 255 (January): 111–29. [https://doi.org/10.1016/S0022-0981\(00\)00295-1](https://doi.org/10.1016/S0022-0981(00)00295-1).
- Venâncio, Eliana, Pedro M. Félix, Ana C. Brito, Francisco Azevedo e Silva, Tomás Simões, João Sousa, Susana Mendes, and Ana Pombo. 2022. 'Reproductive Biology of the Sea Cucumber *Holothuria Mammata* (Echinodermata: Holothuroidea)'. *Biology* 11 (5): 622. <https://doi.org/10.3390/biology11050622>.
- Webster, Don, Joe Buttner, and Gef Flimlin. 2008. 'Planning for Success in Your Aquaculture Business'.
- Wenderoth, Michael C. 2018. 'How A Better Understanding Of Guanxi Can Improve Your Business In China'. *Forbes*. 16 May 2018. <https://www.forbes.com/sites/michaelcwenderoth/2018/05/16/how-a-better-understanding-of-guanxi-can-improve-your-business-in-china/>.
- Wijsman, J. W. M., K. Troost, J. Fang, and A. Roncarati. 2019. 'Global Production of Marine Bivalves. Trends and Challenges'. In *Goods and Services of Marine Bivalves*, edited by Aad C. Smaal, Joao G. Ferreira, Jon Grant, Jens K. Petersen, and Øivind Strand, 7–26. Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-96776-9_2.

- Willer, David. 2020. 'Zoologist David Willer Investigates Sustainable Aquaculture'. Fitz William College. 17 March 2020. <https://www.fitz.cam.ac.uk/news/zoologist-david-willer-investigates-sustainable-aquaculture>.
- Willett, Walter, Johan Rockström, Brent Loken, Marco Springmann, Tim Lang, Sonja Vermeulen, Tara Garnett, et al. 2019. 'Food in the Anthropocene: The EAT–Lancet Commission on Healthy Diets from Sustainable Food Systems'. *The Lancet* 393 (10170): 447–92. [https://doi.org/10.1016/S0140-6736\(18\)31788-4](https://doi.org/10.1016/S0140-6736(18)31788-4).
- World Food Programme. 2022. 'A Global Food Crisis'. 2022. <https://www.wfp.org/global-hunger-crisis>.
- Wright, James. 2016. 'Maine Scallop Farmers Get the Hang of Japanese Technique - Responsible Seafood Advocate'. Global Seafood Alliance. 13 June 2016. <https://www.globalseafood.org/advocate/maine-scallop-farmers-get-the-hang-of-japanese-technique/>.
- WWF. 2022. 'Overfishing'. World Wildlife Fund. 2022. <https://www.worldwildlife.org/threats/overfishing>.
- WWF MMI. 2017. 'WWF MMI Bulletin: June 2017'. June 2017. https://wwf.panda.org/discover/knowledge_hub/where_we_work/mediterranean/mediterranean_marine_initiative/wwf_mmi_bulletin__june_2017.cfm.
- Yee, Chok Sim. 2019. 'Prices of CNY Staples Spike Due to Big Demand in China'. Borneo Post Online. 25 January 2019. <https://www.theborneopost.com/2019/01/25/prices-of-cny-staples-spike-due-to-big-demand-in-china/>.
- Zhou, Yi, Hongsheng Yang, Shilin Liu, Xiutang Yuan, Yuze Mao, Ying Liu, Xinling Xu, and Fusui Zhang. 2006. 'Feeding and Growth on Bivalve Biodeposits by the Deposit Feeder *Stichopus Japonicus* Selenka (Echinodermata: Holothuroidea) Co-Cultured in Lantern Nets'. *Aquaculture* 256 (1): 510–20. <https://doi.org/10.1016/j.aquaculture.2006.02.005>.

13 Appendix


Table 1: Our expert interviews – full names and contact details of interviewees	80
Appendix 1: Energy pyramid and trophic level pyramid for land-based animals.	81
Appendix 2: Energy pyramid and trophic level pyramid for aquatic animals.	81
Appendix 3: Global Aquaculture production volume in tons.	82
Appendix 4: The top importers in kilogram for sea cucumber products in Asia, 2012–2019..	82
Appendix 5: Our Logo for branding	83
Appendix 6: Scannable QR Code linking to our Scallop Life Cycle.....	83
Appendix 7: Lifecycle example of farmed Scallops for traceability.	84
Appendix 8: Social Media Content ideas - Instagram @thepurpelturtleco.....	84
Appendix 9: Social Media Content ideas - Instagram @ nam.mushroomfarm.	85
Appendix 10: Roadmap and Milestones until exit 2033.	85

Table 1: Our expert interviews – full names and contact details of interviewees

Name	Current- Position	Contact
<i>Andreia Cruz</i>	R&D Senior Manager ▪ Oceano Fresco	LinkedIn: https://www.linkedin.com/in/andreia-cruz-10725783/ Mail: andreia.cruz@oceano-fresco.pt
<i>Dr. Beni Azari</i>	Principal Consultant ▪ Seacucumber Consultancy pty. Ltd.	LinkedIn: https://www.linkedin.com/in/benigiraspy/ Mail: beni@seacucumberconsultancy.com.au
<i>Claude Kaplan</i>	Chief Executive Officer ▪ Kuehnle AgroSystems Inc.	LinkedIn: https://www.linkedin.com/in/claudekaplan/ Mail: claudio@hatch.blue
<i>Frederico Reis</i>	Chief Commercial Officer ▪ Oceano Fresco	LinkedIn: https://www.linkedin.com/in/fredericoreis/ Mail: frederico.reis@oceano-fresco.pt
<i>Ricardo Marques</i>	Chief Financial Officer ▪ Oceano Fresco	LinkedIn: https://www.linkedin.com/in/rmarques71/ Mail: ricardo.marques@oceano-fresco.pt
<i>Fiz da Costa</i>	Researcher ▪ Instituto Español de Oceanografía Lifetime Civil Servant	LinkedIn: https://www.linkedin.com/in/fizdacosta/ Mail: fiz.dacosta@ieo.csic.es
<i>Gonçalo Araújo</i>	Research Fellow ▪ Nova School of Business and Economics	LinkedIn: https://www.linkedin.com/in/araujog/ Mail: goncalo.araujo@novasbe.pt
<i>Valentin Hering</i>	Senior Growth Marketing Consultant ▪ Entity X	LinkedIn: https://www.linkedin.com/in/valentinhering/?originalSubdomain=de Mail: valentin@entityx.com
<i>Marcin Lewandowski</i>	Investment Associate ▪ Techstars	LinkedIn: https://www.linkedin.com/in/marcin-lewandowski-679b6a166/ Mail: marcin.lewandowski@techstarsassociates.com
<i>Thorolf Magnesen</i>	Associate Professor at the Department of Biology ▪ University of Bergen	LinkedIn: https://www.uib.no/personer/Thorolf.Magnesen ; Mail: thorolf.magnesen@uib.no
<i>Ana Ward</i>	Investment Associate ▪ Nutreco	LinkedIn: https://www.linkedin.com/in/ana-ward/ Mail: ana.ward@nutreco.com
<i>Jannis Wernecke</i>	Product Development ▪ Primal State Performance GmbH	LinkedIn: https://www.linkedin.com/in/jannis-wernecke-5232101a5/ Mail: jannis@primal-state.de


Appendix 1: Energy pyramid and trophic level pyramid for land-based animals.

Energy pyramid




Source: (Kato et al. 2020)

Appendix 2: Energy pyramid and trophic level pyramid for aquatic animals.




Source: (Kato et al. 2020)

Appendix 3: Global Aquaculture production volume in tons.



Source: (Food and Agriculture Organization of the United Nations 2022).

Appendix 4: The top importers in kilogram for sea cucumber products in Asia, 2012–2019.



Source: (Louw and Bürgener 2022)


Appendix 5: Our Logo for branding




Appendix 6: Scannable QR Code linking to our Scallop Life Cycle.



Appendix 7: Lifecycle example of farmed Scallops for traceability.




Appendix 8: Social Media Content ideas - Instagram @thepurpelturtleco.



Appendix 9: Social Media Content ideas - Instagram @ nam.mushroomfarm.



Appendix 10: Roadmap and Milestones until exit 2033.



Starting our global field lab at Oceano Fresco













